



# Flood Risk Report

*Lower Wisconsin Watershed, 07070005*

*Columbia County, Crawford County, Dane County, Grant County, Iowa County, Richland County, Sauk County*

*Wisconsin*

Report Number 01

*3/6/2014*

**Final**



**FEMA**

**RiskMAP**  
Increasing Resilience Together



# Preface

---

The Department of Homeland Security (DHS), Federal Emergency Management Agency's (FEMA) Risk Mapping, Assessment, and Planning (Risk MAP) program provides states, tribes, and local communities with flood risk information and tools that they can use to increase their resilience to flooding and better protect their citizens. By pairing accurate floodplain maps with risk assessment tools and planning and outreach support, Risk MAP has transformed traditional flood mapping efforts into an integrated process of identifying, assessing, communicating, planning for, and mitigating flood-related risks.

This Flood Risk Report (FRR) provides non-regulatory information to help local or tribal officials, floodplain managers, planners, emergency managers, and others better understand their flood risk, take steps to mitigate those risks, and communicate those risks to their citizens and local businesses.

Because flood risk often extends beyond community limits, the FRR provides flood risk data for the entire Flood Risk Project as well as for each individual community. This also emphasizes that flood risk reduction activities may impact areas beyond jurisdictional boundaries.

Flood risk is always changing, and there may be other studies, reports, or sources of information available that provide more comprehensive information. The FRR is not intended to be regulatory or the final authoritative source of all flood risk data in the project area. Rather, it should be used in conjunction with other data sources to provide a comprehensive picture of flood risk within the project area.

# Table of Contents

---

1	Introduction.....	1
1.1	About Flood Risk.....	1
1.1.1	Calculating Flood Risk.....	1
1.1.2	Risk MAP Flood Risk Products.....	1
1.2	Uses of this Report.....	2
1.3	Sources of Flood Risk Assessment Data Used.....	3
1.4	Related Resources.....	4
2	Flood Risk Analysis.....	6
2.1	Overview.....	6
2.2	Analysis of Risk.....	6
2.2.1	Changes Since Last FIRM.....	6
2.2.2	Flood Depth and Analysis Grids.....	8
2.2.3	Estimated Flood Loss Information.....	9
2.2.4	Areas of Mitigation Interest.....	11
3	Flood Risk Analysis Results.....	19
3.1	Flood Risk Map.....	21
3.2	Lower Wisconsin Watershed Flood Risk Project Area Summary.....	23
3.2.1	Overview.....	23
3.2.2	Flood Risk Datasets.....	26
3.3	Communities.....	29
3.3.1	Village of Arena Summary (CID 550172).....	30
3.3.2	Village of Arlington Summary (CID 550027).....	31
3.3.3	Village of Avoca Summary (CID 550173).....	32
3.3.4	Village of Barneveld Summary (CID 550174).....	36
3.3.5	Village of Black Earth Summary (CID 550079).....	37
3.3.6	Village of Blue Mounds Summary (CID 550620).....	41
3.3.7	Village of Blue River Summary (CID 550147).....	42
3.3.8	Village of Boaz Summary (CID 550357).....	44
3.3.9	City of Boscobel Summary (CID 550148).....	46
3.3.10	Village of Cambria Summary (CID 550057).....	49
3.3.11	Village of Cross Plains Summary (CID 550081).....	50
3.3.12	Village of Dane Summary (CID 550622).....	53

3.3.13	City of Dodgeville Summary (CID 550177)	54
3.3.14	City of Fennimore Summary (CID 550504)	55
3.3.15	Village of Friesland Summary (CID 550070)	56
3.3.16	Village of Highland Summary (CID 550554)	57
3.3.17	Village of Lime Ridge Summary (CID 550396)	58
3.3.18	City of Lodi Summary (CID 550061)	59
3.3.19	Village of Lone Rock Summary (CID 550359)	61
3.3.20	City of Madison Summary (CID 550083)	63
3.3.21	Village of Mazomanie Summary (CID 550085)	64
3.3.22	Village of Merrimac Summary (CID 550398)	67
3.3.23	City of Middleton Summary (CID 550087)	69
3.3.24	Village of Montfort Summary (CID 550525)	70
3.3.25	Village of Mount Horeb Summary (CID 550624)	71
3.3.26	Village of Muscoda Summary (CID 550153)	72
3.3.27	Village of Pardeeville Summary (CID 550062)	75
3.3.28	Village of Plain Summary (CID 550400)	76
3.3.29	Village of Poynette Summary (CID 550064)	77
3.3.30	City of Prairie du Chien Summary (CID 555573)	79
3.3.31	Village of Prairie du Sac Summary (CID 550401)	81
3.3.32	City of Richland Center Summary (CID 555576)	84
3.3.33	Village of Ridgeway Summary (CID 550181)	86
3.3.34	Village of Rio Summary (CID 550008)	87
3.3.35	Village of Sauk City Summary (CID 550404)	88
3.3.36	Village of Spring Green Summary (CID 550405)	91
3.3.37	Village of Wauzeka Summary (CID 555586)	94
3.3.38	Village of Woodman Summary (CID 550156)	97
3.3.39	Village of Wyocena Summary (CID 550066)	100
3.3.40	Village of Yuba Summary (CID 550362)	102
3.3.41	Columbia County Summary (CID 550581)	104
3.3.42	Crawford County Summary (CID 555551)	108
3.3.43	Dane County Summary (CID 550077)	111
3.3.44	Grant County Summary (CID 555557)	115
3.3.45	Iowa County Summary (CID 550522)	118
3.3.46	Richland County Summary (CID 550356)	122

3.3.47	Sauk County Summary (CID 550391).....	126
4	Actions to Reduce Flood Risk .....	130
4.1	Types of Mitigation Actions .....	130
4.1.1	Preventative Measures .....	130
4.1.2	Property Protection Measures .....	130
4.1.3	Natural Resource Protection Activities.....	131
4.1.4	Structural Mitigation Projects.....	131
4.1.5	Public Education and Awareness Activities .....	131
4.1.6	Emergency Service Measures .....	132
4.2	Identifying Specific Actions for Your Community.....	133
4.3	Mitigation Programs and Assistance.....	134
4.3.1	FEMA Mitigation Programs and Assistance .....	134
4.3.2	Additional Mitigation Programs and Assistance .....	135
5	Acronyms and Definitions .....	136
5.1	Acronyms .....	136
5.2	Definitions .....	137
6	Additional Resources .....	140
7	Data Used to Develop Flood Risk Products .....	142

# FLOOD RISK REPORT

## 1 Introduction

### 1.1 About Flood Risk

Floods are naturally occurring phenomena that can and do happen almost anywhere. In its most basic form, a flood is an accumulation of water over normally dry areas. Floods become hazardous to people and property when they inundate an area where development has occurred, causing losses. Mild flood losses may have little impact on people or property, such as damage to landscaping or the generation of unwanted debris. Severe flooding can destroy buildings, ruin crops, and cause critical injuries or death.

#### 1.1.1 Calculating Flood Risk

It is not enough to simply identify where flooding may occur. Just because one knows where a flood occurs does not mean they know the **risk** of flooding. The most common method for determining flood risk, also referred to as vulnerability, is to identify the probability of flooding and the consequences of flooding. In other words:

- **Flood Risk** (or Vulnerability) = **Probability x Consequences**; where
- **Probability** = the likelihood of occurrence
- **Consequences** = the estimated impacts associated with the occurrence

**The probability of a flood** is the likelihood that a flood will occur. The probability of flooding can change based on physical, environmental, and/or contributing engineering factors. Factors affecting the probability that a flood will impact an area range from changing weather patterns to the existence of mitigation projects. The ability to assess the probability of a flood and the level of accuracy for that assessment are also influenced by modeling methodology advancements, better knowledge, and longer periods of record for the water body in question.

**The consequences of a flood** are the estimated impacts associated with the flood occurrence. Consequences relate to human activities within an area and how a flood impacts the natural and built environments.

#### 1.1.2 Risk MAP Flood Risk Products

Through Risk MAP, FEMA provides communities with updated Flood Insurance Rate Maps (FIRMs) and Flood Insurance Studies (FISs) that focus on the probability of floods and that show where flooding may occur as well as the calculated 1% annual chance flood elevation. The 1% annual chance flood, also known as the base flood, has a 1% chance



Flooding is a natural part of our world and our communities. Flooding becomes a significant hazard, however, when it intersects with the built environment.

Which picture below shows more flood risk?



Even if you assume that the flood in both pictures was the same probability—let's say a 10-percent-annual-chance flood—the consequences in terms of property damage and potential injury as a result of the flood in the bottom picture are much more severe. Therefore, the flood risk in the area shown in the bottom picture is higher.

of being equaled or exceeded in any given year. FEMA understands that flood risk is dynamic—that flooding does not stop at a line on a map—and as such, provides the following flood risk products:

- Flood Risk Report (FRR): The FRR presents key risk analysis data for the Flood Risk Project.
- Flood Risk Map (FRM): Like the example found in Section 3.1 of this document, the FRM shows a variety of flood risk information in the project area. More information about the data shown on the FRM may be found in Section 2 of this report.
- Flood Risk Database (FRD): The FRD is in GIS format and houses the flood risk data developed during the course of the flood risk analysis that can be used and updated by the community. After the Flood Risk Project is complete, this data can be used in many ways to visualize and communicate flood risk within the Flood Risk Project.

These Flood Risk Products provide flood risk information at both the Flood Risk Project level and community level (for those portions of each community within the Flood Risk Project). They demonstrate how decisions made within a Flood Risk Project can impact properties downstream, upstream, or both. Community-level information is particularly useful for mitigation planning and emergency management activities, which often occur at a jurisdictional level.



Whether or not an area might flood is one consideration. The extent to which it might flood adds a necessary dimension to that understanding.

## 1.2 Uses of this Report

The goal of this report is to help inform and enable communities and tribes to take action to reduce flood risk. Possible users of this report include:

- Local elected officials
- Floodplain managers
- Community planners
- Emergency managers
- Public works officials
- Other special interests (e.g., watershed conservation groups, environmental awareness organizations, etc.)

State, local, and tribal officials can use the summary information provided in this report, in conjunction with the data in the FRD, to:

- **Update local hazard mitigation plans.** As required by the 2000 Federal Stafford Act, local hazard mitigation plans must be updated at least every five (5) years. Summary information presented in Section 3 of this report and the FRM can be used to identify areas that may need additional focus when updating the risk assessment section of a local hazard mitigation plan. Information found in

Section 4 pertains to the different mitigation techniques and programs and can be used to inform decisions related to the mitigation strategy of local plans.

- **Update community comprehensive plans.** Planners can use flood risk information in the development and/or update of comprehensive plans, future land use maps, and zoning regulations. For example, zoning codes may be changed to better provide for appropriate land uses in high-hazard areas.
- **Update emergency operations and response plans.** Emergency managers can identify low-risk areas for potential evacuation and sheltering and can help first responders avoid areas of high-depth flood water. Risk assessment results may reveal vulnerable areas, facilities, and infrastructure for which planning for continuity of operations plans (COOP), continuity of government (COG) plans, and emergency operations plans (EOP) would be essential.
- **Develop hazard mitigation projects.** Local officials (e.g., planners and public works officials) can use flood risk information to re-evaluate and prioritize mitigation actions in local hazard mitigation plans.
- **Communicate flood risk.** Local officials can use the information in this report to communicate with property owners, business owners, and other citizens about flood risks, changes since the last FIRM, and areas of mitigation interest. The report layout allows community information to be extracted in a fact sheet format.
- **Inform the modification of development standards.** Floodplain managers, planners, and public works officials can use information in this report to support the adjustment of development standards for certain locations. For example, heavily developed areas tend to increase floodwater runoff because paved surfaces cannot absorb water, indicating a need to adopt or revise standards that provide for appropriate stormwater retention.

The Flood Risk Database, Flood Risk Map, and Flood Risk Report are “non-regulatory” products. They are available and intended for community use but are neither mandatory nor tied to the regulatory development and insurance requirements of the National Flood Insurance Program (NFIP). They may be used as regulatory products by communities if authorized by state and local enabling authorities.

### 1.3 Sources of Flood Risk Assessment Data Used

To assess potential community losses, or the consequences portion of the “risk” equation, the following data is typically collected for analysis and inclusion in a Flood Risk Project:

- Information about local assets or resources at risk of flooding



Vulnerability of infrastructure is another important consideration.




Flooding along the Wabash River in Clark County, Illinois, contributed to a federal disaster declaration on June 24, 2008.

- Information about the physical features and human activities that contribute to that risk
- Information about where the risk is most severe
- For most Flood Risk Projects, FEMA uses the following sources of flood risk information to develop this report:
  - Hazus estimated flood loss information
  - New engineering analyses (e.g., hydrology and hydraulic modeling) to develop new flood boundaries
  - Locally supplied data (see Section 7 for a description)
  - Sources identified during the Discovery process

## 1.4 Related Resources

For a more comprehensive picture of flood risk, FEMA recommends that state and local officials use the information provided in this report in conjunction with other sources of flood risk data, such as those listed below.

- **FIRMs and FISs.** This information indicates areas with specific flood hazards by identifying the limit and extent of the 1-percent-annual-chance floodplain and the 0.2-percent-annual-chance floodplain. FIRMs and FIS Reports do not identify all floodplains in a Flood Risk Project. The FIS Report includes summary information regarding other frequencies of flooding, as well as flood profiles for riverine sources of flooding. In rural areas and areas for which flood hazard data are not available, the 1-percent-annual-chance floodplain may not be identified. In addition, the 1-percent-annual-chance floodplain may not be identified for flooding sources with very small drainage areas (less than 1 square mile).
- **Hazus Flood Loss Estimation Reports.** Hazus can be used to generate reports, maps and tables on potential flood damage that can occur based on new/proposed mitigation projects or future development patterns and practices. Hazus can also run specialized risk assessments, such as what happens when a dam or levee fails. Flood risk assessment tools are available through other agencies as well, including the National Oceanic and Atmospheric Administration (NOAA) and the U.S. Army Corps of Engineers (USACE). Other existing watershed reports may have a different focus, such as water quality, but may also contain flood risk and risk assessment information. See Section 6 for additional resources.
- **Flood or multi-hazard mitigation plans.** Local hazard mitigation plans include risk assessments that contain flood risk information and mitigation strategies that identify community priorities and actions to reduce flood risk. This report was informed by any existing mitigation plans in the Flood Risk Project.



FEMA data can be leveraged to identify and measure vulnerability by including local building information (i.e. building type). The examples above show various ways to display flooding intersecting with buildings.

- **FEMA Map Service Center (MSC).** The MSC has useful information, including fly sheets, phone numbers, data, etc. Letters of Map Change are also available through the MSC. The user can view DFIRM databases and the National Flood Hazard Layer (NFHL) Database.

## 2 Flood Risk Analysis

### 2.1 Overview

Flood hazard identification uses FIRMs, and FIS Reports identify where flooding can occur along with the probability and depth of that flooding. Flood risk assessment is the systematic approach to identifying how flooding impacts the environment. In hazard mitigation planning, flood risk assessments serve as the basis for mitigation strategies and actions by defining the hazard and enabling informed decision making. Fully assessing flood risk requires the following:

- Identifying the flooding source and determining the flood hazard occurrence probability
- Developing a complete profile of the flood hazard including historical occurrence and previous impacts
- Inventorying assets located in the identified flood hazard area
- Estimating potential future flood losses caused by exposure to the flood hazard area

Flood risk analyses are different methods used in flood risk assessment to help quantify and communicate flood risk. Flood risk analysis can be performed on a large scale (state, community) level and on a very small scale (parcel, census block). Advantages of large-scale flood risk analysis, especially at the watershed level, include identifying how actions and development in one community can affect areas up- and downstream. On the parcel or census block level, flood risk analysis can provide actionable data to individual property owners so they can take appropriate mitigation steps.

### 2.2 Analysis of Risk

The FRR, FRM, and FRD contain a variety of flood risk analysis information to help describe and visualize flood risk within the project area. Depending on the scope of the Flood Risk Project for this project area, this information may include some or all of the following elements:

- Changes Since Last FIRM
- Water Surface, Flood Depth, and Analysis Grids
- Flood Risk Assessment Information
- Areas of Mitigation Interest

#### 2.2.1 Changes Since Last FIRM

The Changes Since Last FIRM (CSLF) dataset, stored in the FRD and shown in Section 3 of this report, illustrates where changes to flood risk



Flooding impacts non-populated areas too, such as agricultural lands and wildlife habitats.

State and Local Hazard Mitigation Plans are required to have a comprehensive all-hazard risk assessment. The flood risk analyses in the FRR, FRM, and FRD can inform the flood hazard portion of a community's or state's risk assessment. Further, data in the FRD can be used to develop information that meets the requirements for risk assessments as it relates to the hazard of flood in hazard mitigation plans.



may have occurred since the last FIRM was published for the subject area. Communities can use this information to update their mitigation plans, specifically quantifying “what is at risk” and identifying possible mitigation activities.

The CSLF dataset identifies changes in the Special Flood Hazard Area (SFHA) and floodway boundary changes since the previous FIRM was developed. These datasets quantify land area increases and decreases to the SFHA and floodway, as well as areas where the flood zone designation has changed (e.g., Zone A to AE, AE to VE, shaded Zone X protected by levee to AE for de-accredited levees).

The CSLF dataset is created in areas that were previously mapped using digital FIRMs. The CSLF dataset for this project area includes:

- Floodplain and/or Floodway Boundary Changes: Any changes to the existing floodplain or floodway boundaries are depicted in this dataset
- Floodplain Designation Changes: This includes changed floodplain designations (e.g., Zone A to Zone AE).
- CSLF Information: Within this dataset additional information is provided to help explain the floodplain and floodway boundary changes shown on the FIRM. This information is stored as digital attributes within the CSLF polygons and may include some or all of the following:
  - Changes in peak discharges
  - Changes to the modeling methodology (e.g., tide gage analysis)
  - New flood control structures (e.g., dams, levees, etc.)
  - Changes to hydraulic structures (e.g., bridges, culverts, etc.)
  - Sedimentation and/or Erosion
  - Man-made changes to a watercourse (e.g., realignment or improvement)

It should be noted that reasons for the floodplain and floodway changes (also known as Contributing Engineering Factors) are intended to give the user a general sense of what caused the change, as opposed to providing a reason for each and every area of change.



Floodplain maps have evolved considerably from the older paper-based FIRMs to the latest digital products and datasets.

CSLF data can be used to communicate changes in the physical flood hazard area (size, location) as part of the release of new FIRMs. It can also be used in the development or update of hazard mitigation plans to describe changes in hazard as part of the hazard profile.

CSLF data is shown in the FRR, and underlying data is stored in the FRD.



## 2.2.2 Flood Depth and Analysis Grids

**Grids are FEMA datasets provided in the FRD to better describe the risk** of the flood hazard. While the FIRM and FIS Report describe “what” is at risk by identifying the hazard areas, water surface, flood depth, and analysis grids can help define “how bad” the risk is within those identified areas. These grids are intended to be used by communities for additional analysis, enhanced visualization, and communication of flood risks for hazard mitigation planning and emergency management. Grids provided in the FRD for this project area include the following:

- **Flood Depth Grids: (for the calculated flood frequencies included in the FIS Report):** Flood Depth Grids are created for each flood frequency calculated during the course of a Flood Risk Project. These grids communicate flood depth as a function of the difference between the calculated water surface elevation and the ground. Five grids will normally be delivered for riverine areas for the standard flood frequencies (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance). Coastal areas only receive the 1-percent-annual-chance grid.

Depth grids form the basis for refined Hazus loss estimates (as presented in a table in Section 3 of this report) and are used to calculate potential flood losses for display on the FRM and for tabular presentation in this report. Depth grids may also be used for a variety of ad-hoc risk visualization and mitigation initiatives.

- **Percent Annual Chance of Flooding Grid:** This is a grid dataset that represents the percent annual chance of flooding for locations along a flooding source. This grid uses the five standard flood frequencies.
- **Percent 30-Year Chance of Flooding Grid:** This is a grid dataset that represents the estimated likelihood of flooding at least once within a 30-year period, which is the average lifespan for a home mortgage, for all locations within the extent of the 1-percent-annual-chance and 0.2-percent-annual-chance floodplain.



Grid data can make flood mapping more informative. The top image is a flood depth grid showing relative depths of water in a scenario flood event. The bottom image is a percent annual chance of flooding grid, which shows inundation areas of various frequency floods.

### 2.2.3 Estimated Flood Loss Information

Flood loss estimates provided in the FRR were developed using a FEMA flood loss estimation tool, Hazus. Originally developed for earthquake risk assessment, Hazus has evolved into a multi-hazard tool developed and distributed by FEMA that can provide loss estimates for floods, earthquakes, and hurricane winds. Hazus is a nationally accepted, consistent flood risk assessment tool to assist individuals and communities to create a more accurate picture of flood risk. Some benefits of using Hazus include the following:

- Outputs that can enhance state and local mitigation plans and help screen for cost-effectiveness in FEMA mitigation grant programs
- Analysis refinement through updating inventory data and integrating data produced using other flood models
- Widely available support documents and networks (Hazus Users Groups)

Files from the FRD can be imported into Hazus to develop other risk assessment information including:

- Debris generated after a flood event
- Dollar loss of the agricultural products in a study region
- Utility system damages in the region
- Vehicle loss in the study region
- Damages and functionality of lifelines such as highway and rail bridges, potable water, and wastewater facilities

#### Scenario-Based Flood Loss Estimates:

Scenario-based flood losses have been calculated using Hazus for the 10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events. In this

Grid data can be used to communicate the variability of floodplains, such as where floodplains are particularly deep or hazardous, where residual risks lie behind levees, and where losses may be great after a flood event. For mitigation planning, grid data can inform the hazard profile and vulnerability analysis (what is at risk for different frequencies) and can be used for preliminary benefit-cost analysis screening. For floodplain management, higher regulatory standards can be developed in higher hazard flood prone areas (i.e., 10-percent-chance floodplains or deep floodplains).

Grid data is stored in the FRD, and a list of available grid data is provided in the FRR. Visualizations of grids (maps) are not provided.

report, these losses are expressed in dollar amounts and are provided for the Flood Risk Project area only, even though results are shown for the entire watershed and at the local jurisdiction level.

Loss estimates are based on best available data, and the methodologies applied result in an approximation of risk. These estimates should be used to understand relative risk from flood and potential losses.

Uncertainties are inherent in any loss estimation methodology, arising in part from approximations and simplifications that are necessary for a comprehensive analysis (e.g., incomplete inventories, demographics, or economic parameters).

Flood loss estimates are being provided at the project and community levels for multiple flood frequencies including:

- **Residential Asset Loss:** These include direct building losses (estimated costs to repair or replace the damage caused to the building) for all classes of residential structures including single family, multi-family, manufactured housing, group housing, and nursing homes. This value also includes content losses.
- **Commercial Asset Loss:** These include direct building losses for all classes of commercial buildings including retail, wholesale, repair, professional services, banks, hospitals, entertainment, and parking facilities. This value also includes content and inventory losses.
- **Other Asset Loss:** This includes losses for facilities categorized as industrial, agricultural, religious, government, and educational. This value also includes content and inventory losses.
- **Essential Facility Losses:** Essential facilities are defined in Hazus as facilities which provide services to the community and should be functional after a flood, including schools, police stations, fire stations, medical facilities, and emergency operation centers. These facilities would otherwise be considered critical facilities for mitigation planning purposes. Estimated damages (in terms of loss of function) for essential facilities are determined on a site-specific basis according to latitude and longitude. For this report, Hazus calculates the types and numbers of essential facilities impacted.
- **Infrastructure:** For analysis of infrastructure, Hazus supports the analysis of transportation systems and lifeline utility systems. Transportation systems include highways, railways, light railways, busses, ports and harbors, ferries, and airport systems. Utility systems include potable water systems, wastewater, oil, natural gas, electric power, and communication systems. For this report, Hazus calculates the types of infrastructure impacted.



Hazus is a loss estimation methodology developed by FEMA for flood, wind, and earthquake hazards. The methodology and data established by Hazus can also be used to study other hazards.

Hazus is a loss estimation methodology developed by FEMA for flood, wind, and earthquake hazards. The methodology and data established by Hazus can also be used to study other hazards.

- **Business Disruption:** This includes the losses associated with the inability to operate a business due to the damage sustained during the flood. Losses include inventory, income, rental income, wage, and direct output losses, as well as relocation costs.
- **Annualized Losses:** Annualized losses are calculated using Hazus by taking losses from multiple events over different frequencies and expressing the long-term average by year. This factors in historic patterns of frequent smaller floods with infrequent but larger events to provide a balanced presentation of flood damage.
- **Loss Ratio:** The loss ratio expresses the scenario losses divided by the total building value for a local jurisdiction and can be a gage to determine overall community resilience as a result of a scenario event. For example, a loss ratio of 5 percent for a given scenario would indicate that a local jurisdiction would be more resilient and recover more easily from a given event, versus a loss ratio of 75 percent which would indicate widespread losses. An annualized loss ratio uses the annualized loss data as a basis for computing the ratio. Loss ratios are not computed for business disruption. These data are presented in the FRR.
- **Hazus Flood Risk Value:** On the FRM, flood risk is expressed in the following five categories: very low, low, medium, high, and very high for census blocks that have flood risk. It is based on the 1-percent-annual-chance total asset loss by census block.

Hazus-estimated loss data can be used in many ways to support local decision making and explanation of flood risk. For mitigation planning purposes, loss data can be used to help meet requirements to develop loss information for the hazard of flood. Also, the FRM can show where flood risk varies by geographic location. For emergency management, Hazus data can help forecast losses based on predicted events, and resources can be assigned accordingly. Loss information can support floodplain management efforts, including those to adopt higher regulatory standards. *Also, awareness of exposed essential facilities and infrastructure encourages mitigation actions to protect citizens from service disruption should flooding occur.*

Hazus estimated loss data is summarized in the FRR and on the FRM and stored in the FRD.

#### 2.2.4 Areas of Mitigation Interest

Many factors contribute to flooding and flood losses. Some are natural, and some are not. In response to these risks, there has been a focus by the federal government, state agencies, and local jurisdictions to mitigate properties against the impacts of flood hazards so that future losses and impacts can be reduced. An area identified as an Area of Mitigation Interest (AoMI) is an important element of defining a more comprehensive picture of flood risk and mitigation activity in a watershed, identifying target areas and potential projects for flood hazard mitigation, encouraging local collaboration, and communicating how various mitigation activities can successfully reduce flood risk.

This report and the FRM may include information that focuses on identifying Areas of Mitigation Interest that may be contributing (positively or negatively) to flooding and flood losses in the Flood Risk Project. AoMIs are identified through coordination with local stakeholders; through revised hydrologic and hydraulic and/or coastal analyses; by leveraging other studies or previous flood studies; from community mitigation plans, floodplain management plans, and local surveys; and from the mining of federal government databases (e.g.,

flood claims, disaster grants, and data from other agencies). Below is a list of the types of Areas of Mitigation Interest that may be identified in this Flood Risk Report, shown on the Flood Risk Map, and stored in the Flood Risk Database:

- **Dams**

A dam is a barrier built across a waterway for impounding water. Dams vary from impoundments that are hundreds of feet tall and contain thousands of acre-feet of water (e.g., Hoover Dam) to small dams that are a few feet high and contain only a few acre-feet of water (e.g., small residential pond). “Dry dams,” which are designed to contain water only during floods and do not impound water except for the purposes of flood control, include otherwise dry land behind the dam.

While most modern, large dams are highly engineered structures with components such as impervious cores and emergency spillways, most smaller and older dams are not. State dam safety programs emerged in the 1960s, and the first Federal Guidelines for Dam Safety were not prepared until 1979. By this time, the vast majority of dams in the United States had already been constructed.

- **Reasons dams are considered AoMIs:**

- Many older dams were not built to any particular standard and thus may not withstand extreme rainfall events. Older dams in some parts of the country are made out of an assortment of materials. These structures may not have any capacity to release water and could be overtopped, which could result in catastrophic failure.
- Even dams that follow current dam safety programs may not be regulated, as downstream risk may have changed since the dam was constructed. Years after a dam is built, a house, subdivision, or other development may be constructed in the area downstream of the dam. Thus, a subsequent dam failure could result in damage. Since these dams are not regulated, it is impossible to predict how safe they are.
- A significant dam failure risk is structural deficiencies associated with older dams that are not being adequately addressed today through needed inspection/maintenance practices.
- For larger dams a flood easement may have been obtained on a property. However, there may have been buildings constructed in violation of the flood easement.
- When a new dam is constructed, the placement of such a large volume of material in a floodplain area (if that is the dam location) will displace flood waters and can alter how



Dams vary in size and shape, the amount of water they impound, and their assigned hazard classification.



This dam failure caused flooding that damaged several homes and vehicles.

the watercourse flows. This can result in flooding upstream, downstream, or both.

- For many dams, the dam failure inundation zone is not known. Not having knowledge of these risk areas could lead to unprotected development in these zones.

- **Levees and Major Embankments**


FEMA defines a levee as “a man-made structure, usually an earthen embankment, designed and constructed in accordance with sound engineering practices to contain, control, or divert the flow of water so as to provide protection from temporary flooding.” Levees are sometimes referred to as dikes. Soil used to construct a levee is compacted to make the levee as strong and stable as possible. To protect against erosion and scouring, levees can be covered with everything from grass and gravel to harder surfaces like stone (riprap), asphalt, or concrete.

Similar to dams, levees have not been regulated in terms of safety and design standards until relatively recently. Many older levees were constructed in a variety of ways, from a farmer piling dirt along a stream to prevent nuisance flooding to levees made out of old mining spoil material. As engineered structures, levees are designed to a certain height and can fail if a flood event is greater than anticipated.

A floodwall is a vertical wall that is built to provide protection from a flood in a similar manner as a levee. Typically made of concrete or steel, floodwalls often are erected in urban locations where there is not enough room for a levee. Floodwalls are sometimes constructed on a levee crown to increase the levee’s height.

Most new dams and levees are engineered to a certain design standard. If that design is exceeded, they could be overtopped and fail catastrophically, causing more damage than if the levee was not there in the first place. Few levees anywhere in the nation are built to more than a 1-percent-annual-chance flood protection rating, and the areas behind them are still at some risk for flooding. This threat is called residual risk. In some states, residual risk areas can extend up to 15 miles from a riverbank. Although the probability of flooding may be lower because a levee exists, risk is nonetheless still present. The American Society of Civil Engineers’ publication “So, You Live Behind a Levee!” provides an in-depth explanation of levee and residual risk.

Major embankments, on the other hand, are rarely designed with any flood protection level in mind. Railroads, road abutments, and canals—especially in the Western United States—are not considered levees or dams and have issues such as unknown construction materials/methods. These embankments are not regulated from a flood risk standpoint.



For more information about the risks associated with living behind levees, consult the publication “So, You Live Behind a Levee!” published by the American Society of Civil Engineers at <http://content.asce.org/ASCELeveeGuide.html>.

- **Reasons levees and major embankments are considered AoMIs:**
  - Like dams, many levees in the United States were constructed using unknown techniques and materials. These levees have a higher failure rate than those that have been designed to today’s standards.
  - A levee might not provide the flood risk reduction it once did as a result of flood risk changes over time. Flood risk can change due to a number of factors, including increased flood levels due to climate change or better estimates of flooding, development in the watershed increasing flood levels and settlement of the levee or floodwall, and sedimentation in the levee channel. Increased flood levels mean decreased flood protection. The lack of adequate maintenance over time will also reduce the capability of a levee to contain the flood levels for which it was originally designed.
  - Given enough time, any levee will eventually be overtopped or damaged by a flood that exceeds the levee’s capacity. Still, a widespread public perception of levees is that they will always provide protection. This perception may lead to not taking mitigation actions such as purchasing flood insurance.
  - A levee is a system that can fail due to its weakest point, and therefore maintenance is critical. Many levees in the United States are poorly maintained or not maintained at all. Maintenance also includes maintaining the drainage systems behind the levees so they can keep the protected area dry.



Canal levee breaches as a result of Hurricane Katrina in New Orleans in 2005. Note damages can be more extensive due to high velocity flood flows than if the levee was not there.

- **Coastal Structures**

Coastal structures are used to “harden” the shoreline for a variety of purposes and include:

- Jetties: Structures constructed to direct currents or accommodate vessels.
- Groynes: Protective structures of stone or concrete that extend from shore into the water to prevent a beach from washing away.
- Sea walls: A form of hard and strong coastal defense constructed on the inland part of a coast to reduce the effects of strong waves.
- As the rate of sea level rise accelerates, an increase in coastal erosion is likely. We are now facing rapid sea level changes on a scale of decades. Higher sea levels could affect the coastal zone

and accelerate coastal erosion and flooding in a variety of ways, including greater shoreline retreat; increased coastal erosion rates; property destruction; and saltwater intrusion into bays, rivers, and underground water resources. In addition, a general elevation in the water table due to sea level rise will result.

- **Reasons coastal structures are considered AoMIs:**

- While coastal structures or “hardening of the shoreline” may provide a temporary level of flood reduction for a very specific site, it also interrupts the dynamic processes of the littoral flow (flow along the coastline) which results in accelerated coastal erosion.
- Erosion often occurs along beaches during storms, especially severe storms that stay offshore for days and result in ongoing battering of the shoreline through high wind and waves. As the beach erodes, vulnerable properties are placed at even greater risk to coastal flooding, storm surge, wave heights, wave run up, and coastal erosion.
- Higher water tables associated with sea level rise could lead to the failure of septic systems and other drainage systems, such as storm drains, which need to be located at a certain elevation above the water table. Elevation of the water table would also affect the river drainage systems by affecting the rate of infiltration and increasing the amount of runoff which would, in turn, increase the risk of flooding.

- **Stream Flow Constrictions**

A stream flow constriction occurs when a human-made structure, such as a culvert or bridge, constricts the flow of a river or stream. The results of this constriction can be increased damage potential to the structure, an increase in velocity of flow through the structure, and the creation of significant ponding or backwater upstream of the structure. Regulatory standards regarding the proper opening size for a structure spanning a river or stream are not consistent and may be non-existent. Some local regulations require structures to pass a volume of water that corresponds to a certain size rain event; however, under sizing, these openings can result in flood damage to the structure itself. After a large flood event, it is not uncommon to have numerous bridges and culverts “washed out.”

- **Reasons stream flow constrictions are considered AoMIs:**

- Stream flow constrictions can back water up on property upstream of the structure if not designed properly.
- These structures can accelerate the flow through the structure causing downstream erosion if not properly mitigated. This erosion can affect the structure itself, causing undermining and failure.



Severe beach erosion and damage resulting from a nor'easter.

- If the constriction is a bridge or culvert, it can get washed out causing an area to become isolated and potentially more difficult to evacuate.
- Washed-out culverts and associated debris can wash downstream and cause additional constrictions.

- **At-Risk Essential Facilities**

Essential facilities, sometimes called “critical facilities,” are those whose impairment during a flood could cause significant problems to individuals or communities. For example, when a community’s wastewater treatment is flooded and shut down, not only do contaminants escape and flow into the floodwaters, but backflows of sewage can contaminate basements or other areas of the community. Similarly, when a facility such as a hospital is flooded, it can result in a significant hardship on the community not only during the event but long afterwards as well.

- **Reasons at-risk essential facilities are considered AoMIs:**
  - Costly and specialized equipment may be damaged and need to be replaced.
  - Impairments to facilities such as fire stations may result in lengthy delays in responding and a focus on evacuating the facility itself.
  - Critical records and information stored at these facilities may be lost.

- **Past Flood Insurance Claims and Individual Assistance/Public Assistance Hotspots**

Assistance provided after flood events (flood insurance in any event and Individual Assistance [IA] or Public Assistance [PA] after declared disasters) occurs in flood affected areas. Understanding geographically where this assistance is being provided may indicate unique flood problems.

Flood insurance claims are not always equally distributed in a community. Although estimates indicate that 20 to 50 percent of structures in identified flood hazard areas have flood insurance, clusters of past claims may indicate where there is a flood problem. However, clusters of past claims and/or areas where there are high payments under FEMA’s IA or PA Programs may indicate areas of significant flood hazard.

- **Reasons past claim hotspots are considered AoMIs:**
  - A past claim hotspot may reflect an area of recent construction (large numbers of flood insurance policies as a result of a large number of mortgages) and an area where



*Clusters of past flood insurance claims can show where there is a repetitive flood problem.*

the as-built construction is not in accordance with local floodplain management regulations.

- Sometimes clusters of past claims occur in subdivisions that were constructed before flood protection standards were in place, places with inadequate stormwater management systems, or in areas that may not have been identified as SFHAs.
- Clusters of IA or PA claims may indicate areas where high flood insurance coverage or other mitigation actions are needed.

- **Areas of Significant Land Use Change**

Development, whether it is a 100-lot subdivision or a single lot big box commercial outlet, can result in large amounts of fill and other material being deposited in flood storage areas, thereby increasing flood hazards downstream.


Additionally, when development occurs, hard surfaces such as parking lots, buildings and driveways do not allow water to absorb into the ground, and more of the rainwater becomes runoff flowing directly into streams. As a result, the “peak flow” in a stream after a storm event will be higher and will occur faster. Without careful planning, major land use changes can affect the impervious area of a site and result in a significant increase in flood risk caused by streams that cannot handle the extra storm water runoff.

Sometimes a major land use change may be for planning purposes only. For example, a land use change that rezones land from a classification such as floodplain that restricts development to a zone such as industrial or high density residential could result in significant new infrastructure and structures in high flood risk areas.

- **Reasons Areas of Significant Land Use Change are considered AoMIs:**

- Development in areas mapped SFHA reduces flood storage areas, which can make flooding worse at the development site and downstream of it.
- Impervious surfaces speed up the water flowing in the streams, which can increase erosion and the danger that fast-flowing floodwaters pose to people and buildings.
- Rezoning flood-prone areas to high densities and/or higher intensity uses can result in more people and property at risk of flooding and flood damage.

- **Key Emergency Routes Overtopped During Frequent Flooding Events**



Rooftops, pavements, patios, and driveways contribute to the impervious area in a watershed. This occurs in both urban areas and rural areas being developed.

Roads are not always elevated above estimated flood levels, and present a significant flood risk to motorists during flooding events. When alternate routes are available, risks may be reduced, including risks to life and economic loss.

- **Reasons overtopped roads are considered AoMIs:**

- Such areas, when identified, can be accounted for and incorporated into Emergency Action Plans.
- Roads may be elevated or reinforced to reduce the risk of overtopping during flood events.

- **Drainage or Stormwater-Based Flood Hazard Areas, or Areas Not Identified as Floodprone on the FIRM But Known to Be Inundated**

Flood hazard areas exist everywhere. While FEMA maps many of these, others are not identified. Many of these areas may be located in communities with existing, older, and often inadequate stormwater management systems or in very rural areas. Other similar areas could be a result of complex or unique drainage characteristics. Even though they are not mapped, awareness of these areas is important so adequate planning and mitigation actions can be performed.

- **Reasons drainage or stormwater-based flood hazard areas or unidentified floodprone locations are considered AoMIs:**

- So further investigation of such areas can occur and, based on scientific data, appropriate mitigation actions can result (i.e., land use and building standards).
- To create viable mitigation project applications in order to reduce flood losses.

- **Areas of Mitigation Success**

Flood mitigation projects are powerful tools to communicate the concepts of mitigation and result in more resilient communities. Multiple agencies have undertaken flood hazard mitigation actions for decades. Both structural measures—those that result in flood control structures—and non-structural measures have been implemented in thousands of communities. An extensive list of mitigation actions can be found in Section 4.

- **Reasons areas of mitigation success are considered AoMIs:**

- Mitigation successes identify those areas within the community that have experienced a reduction or elimination of flood risk.
- Such areas are essential in demonstrating successful loss reduction measures and in educating citizens and officials on available flood hazard mitigation techniques.



When large highways close due to flooding, traffic is detoured causing inconvenience and economic loss.

- Avoided losses can be calculated and shown.

- **Areas of Significant Riverine or Coastal Erosion**

Stream channels and coastlines are constantly subject to the forces of erosion. Areas of erosion (stream or coastal) threaten infrastructure, general building stock, and businesses, and also pose a threat to human life.

- **Reasons why areas of significant riverine or coastal erosion are considered AoMIs:**

- A community may wish to avoid development in areas identified as subject to erosion hazards.
- Riverine flood damage assessments generally consider inundation alone.
- Landslides and mudslides are a result of erosion.
- Bank erosion caused by within channel flows is not recognized as a significant hazard in Federal floodplain management regulations.
- Riverine and coastal erosion can undercut structures and roads, causing instability and possible collapse.
- Approximately one-third of the nation's streams experience severe erosion problems.

- **Other**

Other types of flood risk areas include drainage or stormwater-based flood hazard areas, or areas known to be inundated during storm events.

### 3 Flood Risk Analysis Results

The following pages provide summary flood risk results for the Flood Risk Project as follows:

- **Flood Risk Map (FRM).** Within the Flood Risk Project the FRM displays base data reflecting community boundaries, major roads, and stream lines; potential losses that include both the 2010 Flood Average Annualized Loss (AAL) Study supplemented with new Hazus runs for areas with new or updated flood modeling; new Flood Risk Project areas; a bar chart summarizing community per capita loss; and graphics and text that promote access and usage of additional data available through the FRD, FIRM, and National Flood Hazard Layer and viewers (desktop or FEMA website, etc.). This information can be used to assist in Flood Risk Project-level planning as well as for developing mitigation actions within each jurisdiction located within the Flood Risk Project.


The FRM provides a graphical overview of the Flood Risk Project which highlights areas of risk that should be noted, based on potential losses, exposed facilities, etc., based on data found in the FRD. Refer to the data in the FRD to conduct additional analyses.

- **Flood Risk Project Summary.** Within the Flood Risk Project area, summary data for some or all of the following datasets are provided for the entire project area and also on a jurisdiction by jurisdiction basis:
  - **Changes Since Last FIRM (CSLF).** This is a summary of where the floodplain and flood zones have increased or decreased (only analyzed for areas that were previously mapped using digital FIRMs).
  - **Flood Depth and Analysis Grids.** A general discussion of the data provided in the FRD.
  - **Flood Risk Assessment Information.** A loss estimation of potential flood damages using different flood scenarios.
  - **Areas of Mitigation Interest.** A description of areas that may require mitigation or additional risk analysis.

### 3.1 Flood Risk Map

The Flood Risk Map for this Flood Risk Project is shown below. In addition to this reduced version of the map, a full size version is available within the FRD.

### Flood Risk Map: Lower Wisconsin Watershed, 07070005



**MAP SYMBOLOLOGY**

**Base Data**

- Corporate Limits
- Major Roads
- Interstates
- Watershed Boundary
- State Boundary

**Flood Data**

- Rivers and Streams
- Restudy Area

**Flood Risk**

- Very Low
- Low
- Medium
- High
- Very High

**Areas of Mitigation Interest**

- Areas of Mitigation Success
- Other
- Dams
- Non-Levee Embankments
- Other Flood Risk Areas
- Significant Land Use Change

**WATERSHED LOCATOR**



**Risk Mapping, Assessment, and Planning (Risk MAP)**

FRM FLOOD RISK MAP  
Lower Wisconsin Watershed, USA

HUC-8 Code  
**07070005**

For more information on data used for this non-regulatory map, please consult the Lower Wisconsin Watershed, USA Flood Risk Database and Flood Risk Report.

RELEASE DATE  
**3/6/2014**

*This page left intentionally blank.*

## 3.2 Lower Wisconsin Watershed Flood Risk Project Area Summary

The Lower Wisconsin Watershed begins in south central Wisconsin's Central Plain geographical province, although the majority lies within the unglaciated Western Upland geographical province. The Lower Wisconsin Watershed encompasses all or portions of 9 counties and 40 communities in Wisconsin and Iowa, with a total drainage area of 4,940 square miles. This project does not include Vernon County, Wisconsin or Clayton County, Iowa, even though they are partially located within the Lower Wisconsin Watershed. The Wisconsin River is the main water body in the watershed, running mainly in a westerly fashion. Within the Lower Wisconsin Watershed, the Wisconsin River flows through, or is within close proximity to, the cities of Boscobel and Prairie du Chien and the villages of Avoca, Blue River, Lone Rock, Merrimac, Muscoda, Prairie du Sac, Sauk City, Spring Green, Wauzeka and Woodman.

### 3.2.1 Overview

*Lower Wisconsin Watershed, located in Wisconsin, includes the following communities:*

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
City of Boscobel	550148	3,035	100	3.0	100	Y	10	Y
City of Dodgeville	550177	4,229	7	3.9	7	Y	10	Y
City of Fennimore	550504	2,379	28	1.6	28	N	10	N/A
City of Lodi	550061	2,882	100	1.7	100	Y	10	N
City of Madison	550083	209,622	0	78.1	0	Y	10	Y
City of Middleton	550087	15,677	5	9.0	5	Y	10	Y
City of Prairie du Chien	555573	5,904	11	6.5	11	Y	10	Y
City of Richland Center	555576	4,857	100	4.7	100	Y	10	Y
Columbia County	550581	23,673	39	759.7	39	Y	10	Y
Crawford County	555551	7,888	29	558.7	29	Y	10	Y
Dane County	550077	72,726	21	1,042.5	21	Y	10	Y
Grant County	555557	19,378	29	1,155.6	29	Y	10	Y

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Iowa County	550522	10,056	54	749.6	54	Y	10	Y
Richland County	550356	11,181	88	581.6	88	Y	10	Y
Sauk County	550391	22,191	45	812.6	45	Y	10	Y
Village of Arena	550172	664	100	1.2	100	Y	10	Y
Village of Arlington	550027	471	12	1.0	12	N	10	N
Village of Avoca	550173	608	100	2.4	100	Y	10	Y
Village of Barneveld	550174	1,094	35	1.9	35	N	10	Y
Village of Black Earth	550079	1,320	100	0.9	100	Y	10	N
Village of Blue Mounds	550620	708	16	0.9	16	Y	10	Y
Village of Blue River	550147	429	100	0.7	100	Y	10	N/A
Village of Boaz	550357	123	100	0.4	100	Y	10	N
Village of Cambria	550057	792	100	1.0	100	Y	10	Y
Village of Cross Plains	550081	3,105	100	1.7	100	Y	10	Y
Village of Dane	550622	799	55	1.2	55	N	10	Y
Village of Friesland	550070	298	10	1.0	10	N	10	N
Village of Highland	550554	855	100	1.1	100	N	10	Y
Village of Lime Ridge	550396	169	24	1.0	24	Y	10	Y
Village of Lone Rock	550359	923	100	1.0	100	Y	10	N
Village of Mazomanie	550085	1,506	100	1.8	100	Y	8	N

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Merrimac	550398	419	100	1.4	100	Y	10	Y
Village of Montfort	550525	663	62	0.5	62	N	10	N/A
Village of Mount Horeb	550624	5,844	26	3.2	26	N	10	N
Village of Muscoda	550153	1,453	100	1.5	100	Y	10	N/A
Village of Pardeeville	550062	1,982	21	2.3	21	Y	10	Y
Village of Plain	550400	792	100	0.8	100	Y	10	Y
Village of Poynette	550064	2,266	100	2.6	100	Y	10	N
Village of Prairie du Sac	550401	3,242	100	1.7	100	Y	10	Y
Village of Ridgeway	550181	689	40	1.3	40	Y	10	Y
Village of Rio	550008	945	100	1.3	100	N	10	N
Village of Sauk City	550404	3,109	100	1.7	100	Y	10	Y
Village of Spring Green	550405	1,467	100	1.7	100	Y	10	Y
Village of Wauzeka	555586	768	69	5.2	69	Y	10	Y
Village of Woodman	550156	96	100	0.2	100	Y	10	N/A
Village of Wycena	550066	668	100	1.6	100	Y	10	N
Village of Yuba	550362	92	100	0.3	100	Y	10	N

Community-specific results are provided on subsequent pages. Data provided below and on subsequent pages only includes areas located within the Lower Wisconsin Watershed Flood Risk Project and do not necessarily represent community-wide totals.

Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

### 3.2.2 Flood Risk Datasets

As a part of this Flood Risk Project, flood risk datasets were created for inclusion in the Flood Risk Database. Those datasets are summarized for this Flood Risk Project below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the watershed.

Area of Interest	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Area within SFHA*	202.1	20.5	51.1	-30.6
Area within Floodway*	173.4	7.9	7.9	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Lower Wisconsin Watershed, the figures in this table only represent information within the Lower Wisconsin Watershed.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- The FRD contains datasets in the form of depth grids for the entire Flood Risk Project that can be used for additional analysis, enhanced visualization, and communication of flood risks for hazard mitigation planning and emergency management. The data provided within the FRD should be used to further isolate areas where flood mitigation potential is high and may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation. Section 2 of the FRR provides general information regarding the development of and potential uses for this data.

- **Flood Risk Results Information**

- Lower Wisconsin Watershed flood risk analysis incorporates results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were estimated as well as potential loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$691,600,000	72%	\$52,800,000	8%	\$67,200,000	10%	\$74,500,000	11%	\$82,100,000	12%	\$6,100,000	1%
Commercial Building/Contents	\$152,000,000	16%	\$23,400,000	15%	\$30,100,000	20%	\$33,200,000	22%	\$37,300,000	25%	\$2,700,000	2%
Other Building/Contents	\$110,700,000	12%	\$4,600,000	4%	\$6,700,000	6%	\$8,000,000	7%	\$9,800,000	9%	\$600,000	1%
Total Building/Contents <sup>2</sup>	\$956,900,000	100%	\$81,100,000	8%	\$104,000,000	11%	\$116,000,000	12%	\$129,300,000	14%	\$16,700,000	2%
Business Disruption <sup>3</sup>	N/A	N/A	\$1,100,000	N/A	\$1,500,000	N/A	\$1,700,000	N/A	\$2,000,000	N/A	\$100,000	N/A
<b>TOTAL<sup>4</sup></b>	\$956,900,000	N/A	\$82,300,000	9%	\$107,300,000	11%	\$119,200,000	12%	\$134,300,000	14%	\$17,000,000	2%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

- **Areas of Mitigation Interest**

- Section 2.2.4 of the FRR provides more information regarding areas of mitigation interest, how they are defined for this analysis, and potential mitigation actions that could be considered for each type. The table below summarizes the number of areas of mitigation interest by type.

Type of Mitigation Interest	Number of Areas	Data Source
Areas of Mitigation Success	2	Discovery Meeting
Dam	5	Discovery Meeting
Non-Levee Embankments	1	Discovery Meeting
Other	8	Discovery Meeting
Other Flood Risk Areas	3	Discovery Meeting
Significant Land Use Change	4	Discovery Meeting

### **3.3 Communities**

The following sections provide an overview of the community's floodplain management program as of the date of this publication, as well as summarize the flood risk analysis performed for each project area in Lower Wisconsin Watershed.

### 3.3.1 Village of Arena Summary (CID 550172)

The following pages include Flood Risk data for the Village of Arena.

#### 3.3.1.1. Overview

The information below provides an overview of the Village of Arena as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Arena	550172	664	100	1.2	100	Y	10	Y

- Participating in Iowa County Multi-Hazard Mitigation Plan, which expires on 10/17/2017.
- Past Federal Disaster Declarations for flooding = 8
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 1 policies totaling approximately \$210,000

Data provided below only includes areas within the Village of Arena, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.1.2. Community Analyses and Results

The Village of Arena did not have any revised floodplain areas as part of the Lower Wisconsin Watershed project. Non-regulatory products were only created for floodplain revisions.

### 3.3.2 Village of Arlington Summary (CID 550027)

The following pages include Flood Risk data for the Village of Arlington.

#### 3.3.2.1. Overview

The information below provides an overview of the Village of Arlington as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Arlington	550027	471	12	1.0	12	N	10	N

- Past Federal Disaster Declarations for flooding = 6

Data provided below only includes areas within the Village of Arlington, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.2.2. Community Analyses and Results

The Village of Arlington did not have any revised floodplain areas as part of the Lower Wisconsin Watershed project. Non-regulatory products were only created for floodplain revisions.

### 3.3.3 Village of Avoca Summary (CID 550173)

The following pages include Flood Risk data for the Village of Avoca.

#### 3.3.3.1. Overview

The information below provides an overview of the Village of Avoca as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Avoca	550173	608	100	2.4	100	Y	10	Y

- Participating in Village of Avoca Hazard Mitigation Plan, which expires on 3/28/2017.
- Past Federal Disaster Declarations for flooding = 8
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 3 policies totaling approximately \$708,000

Data provided below only includes areas within the Village of Avoca, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.3.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.0	0.0	0.0	0.0
Within Floodway	0.0	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Avoca, the figures in this table only represent information within the Village of Avoca.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- The Village of Avoca's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$7,500,000	100%	\$2,900,000	39%	\$3,100,000	41%	\$3,100,000	42%	\$200,000	3%	\$300,000	4%
Commercial Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Other Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Total Building/Contents <sup>2</sup>	\$7,500,000	100%	\$2,900,000	39%	\$3,100,000	41%	\$3,100,000	42%	\$200,000	3%	\$300,000	4%
Business Disruption <sup>3</sup>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$7,500,000	N/A	\$2,900,000	39%	\$3,100,000	41%	\$3,100,000	42%	\$3,200,000	43%	\$300,000	4%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

- **Areas of Mitigation Interest**

- Section 2.2.4 of the FRR provides more information regarding areas of mitigation interest, how they are defined for this analysis, and potential mitigation actions that could be considered for each type. The table below summarizes the number of areas of mitigation interest by type.

Type of Mitigation Interest	Number of Areas	Data Source
Non-Levee Embankments	1	Discovery Meeting
Other	1	Discovery Meeting

### 3.3.4 Village of Barneveld Summary (CID 550174)

The following pages include Flood Risk data for the Village of Barneveld.

#### 3.3.4.1. Overview

The information below provides an overview of the Village of Barneveld as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Barneveld	550174	1,094	35	1.9	35	N	10	Y

- Participating in Iowa County Multi-Hazard Mitigation Plan, which expires on 10/17/2017.
- Past Federal Disaster Declarations for flooding = 8

Data provided below only includes areas within the Village of Barneveld, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.4.2. Community Analyses and Results

The Village of Barneveld did not have any revised floodplain areas as part of the Lower Wisconsin Watershed project. Non-regulatory products were only created for floodplain revisions.

### 3.3.5 Village of Black Earth Summary (CID 550079)

The following pages include Flood Risk data for the Village of Black Earth.

#### 3.3.5.1. Overview

The information below provides an overview of the Village of Black Earth as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Black Earth	550079	1,320	100	0.9	100	Y	10	N

- Past Federal Disaster Declarations for flooding = 8
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 9 policies totaling approximately \$1,613,700
- NFIP-recognized repetitive loss properties = 1 (1 residential and 0 commercial)

Data provided below only includes areas within the Village of Black Earth, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.5.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.1	0.0	0.0	0.0
Within Floodway	0.2	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Black Earth, the figures in this table only represent information within the Village of Black Earth.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- The Village of Black Earth's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$39,200,000	83%	\$2,300,000	6%	\$3,200,000	8%	\$4,500,000	11%	\$4,900,000	12%	\$300,000	1%
Commercial Building/Contents	\$3,900,000	8%	\$400,000	11%	\$500,000	14%	\$600,000	16%	\$700,000	18%	\$50,000	1%
Other Building/Contents	\$3,900,000	8%	\$200,000	6%	\$300,000	8%	\$500,000	12%	\$600,000	15%	\$30,000	1%
Total Building/Contents <sup>2</sup>	\$47,000,000	100%	\$3,000,000	6%	\$4,100,000	9%	\$5,600,000	12%	\$6,200,000	13%	\$400,000	1%
Business Disruption <sup>3</sup>	\$0	N/A	\$50,000	N/A	\$70,000	N/A	\$100,000	N/A	\$100,000	N/A	\$10,000	N/A
<b>TOTAL<sup>4</sup></b>	\$47,000,000	N/A	\$3,100,000	7%	\$4,200,000	9%	\$5,700,000	12%	\$6,300,000	13%	\$400,000	1%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

- **Areas of Mitigation Interest**

- Section 2.2.4 of the FRR provides more information regarding areas of mitigation interest, how they are defined for this analysis, and potential mitigation actions that could be considered for each type. The table below summarizes the number of areas of mitigation interest by type.

Type of Mitigation Interest	Number of Areas	Data Source
Significant Land Use Change	2	Discovery Meeting

### 3.3.6 Village of Blue Mounds Summary (CID 550620)

The following pages include Flood Risk data for the Village of Blue Mounds.

#### 3.3.6.1. Overview

The information below provides an overview of the Village of Blue Mounds as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Blue Mounds	550620	708	16	0.9	16	Y	10	Y

- Participating in Dane County Natural Hazard Mitigation Plan, which expires on 5/12/2015.
- Past Federal Disaster Declarations for flooding = 8
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 1 policies totaling approximately \$350,000

Data provided below only includes areas within the Village of Blue Mounds, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.6.2. Community Analyses and Results

The Village of Blue Mounds did not have any revised floodplain areas as part of the Lower Wisconsin Watershed project. Non-regulatory products were only created for floodplain revisions.

### 3.3.7 Village of Blue River Summary (CID 550147)

The following pages include Flood Risk data for the Village of Blue River.

#### 3.3.7.1. Overview

The information below provides an overview of the Village of Blue River as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Blue River	550147	429	100	0.7	100	Y	10	N/A

- Past Federal Disaster Declarations for flooding = 12
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 1 policies totaling approximately \$70,000

Data provided below only includes areas within the Village of Blue River, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.7.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.1	0.0	0.0	0.0
Within Floodway	0.0	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Blue River, the figures in this table only represent information within the Village of Blue River.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Hazus Estimated Loss Information**

- The Village of Blue River's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$4,200,000	96%	\$400,000	9%	\$800,000	20%	\$900,000	21%	\$1,000,000	23%	\$70,000	2%
Commercial Building/Contents	\$200,000	4%	\$30,000	16%	\$30,000	18%	\$30,000	18%	\$30,000	20%	\$0	1%
Other Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Total Building/Contents <sup>2</sup>	\$4,400,000	100%	\$700,000	16%	\$900,000	20%	\$900,000	21%	\$1,000,000	23%	\$500,000	11%
Business Disruption <sup>3</sup>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$4,400,000	N/A	\$700,000	16%	\$2,600,000	60%	\$2,700,000	63%	\$1,000,000	23%	\$500,000	11%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.8 Village of Boaz Summary (CID 550357)

The following pages include Flood Risk data for the Village of Boaz.

#### 3.3.8.1 Overview

The information below provides an overview of the Village of Boaz as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Boaz	550357	123	100	0.4	100	Y	10	N

- Past Federal Disaster Declarations for flooding = 10
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 4 policies totaling approximately \$133,900

Data provided below only includes areas within the Village of Boaz, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.8.2 Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.2	0.1	0.0	0.1
Within Floodway	0.0	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Boaz, the figures in this table only represent information within the Village of Boaz.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Hazus Estimated Loss Information**

- The Village of Boaz's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Commercial Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Other Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Total Building/Contents <sup>2</sup>	\$0	100%	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$40,000	N/A
Business Disruption <sup>3</sup>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$40,000	N/A

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.9 City of Boscobel Summary (CID 550148)

The following pages include Flood Risk data for the City of Boscobel.

#### 3.3.9.1 Overview

The information below provides an overview of the City of Boscobel as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
City of Boscobel	550148	3,035	100	3.0	100	Y	10	Y

- Participating in Grant County, Wisconsin Multi Hazard Mitigation Plan, which expires on 5/9/2018.
- Past Federal Disaster Declarations for flooding = 12
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 6 policies totaling approximately \$2,280,000

Data provided below only includes areas within the City of Boscobel, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.9.2 Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.4	0.0	0.0	0.0
Within Floodway	0.2	0.1	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of City of Boscobel, the figures in this table only represent information within the City of Boscobel.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- The City of Boscobel's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$17,200,000	78%	\$2,900,000	17%	\$3,400,000	20%	\$3,600,000	21%	\$4,100,000	24%	\$300,000	2%
Commercial Building/Contents	\$2,900,000	13%	\$700,000	23%	\$800,000	27%	\$900,000	29%	\$900,000	32%	\$80,000	3%
Other Building/Contents	\$1,900,000	9%	\$400,000	21%	\$500,000	24%	\$500,000	26%	\$600,000	29%	\$40,000	2%
Total Building/Contents <sup>2</sup>	\$22,000,000	100%	\$4,100,000	18%	\$4,600,000	21%	\$5,000,000	23%	\$5,600,000	25%	\$700,000	3%
Business Disruption <sup>3</sup>	\$0	N/A	\$70,000	N/A	\$80,000	N/A	\$80,000	N/A	\$90,000	N/A	\$10,000	N/A
<b>TOTAL<sup>4</sup></b>	\$22,000,000	N/A	\$4,100,000	19%	\$4,700,000	21%	\$5,000,000	23%	\$5,700,000	26%	\$700,000	3%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.10 Village of Cambria Summary (CID 550057)

The following pages include Flood Risk data for the Village of Cambria.

#### 3.3.10.1. Overview

The information below provides an overview of the Village of Cambria as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Cambria	550057	792	100	1.0	100	Y	10	Y

- Participating in Columbia County Wisconsin Hazard Mitigation Plan: 2008-2012, which expires on 9/29/2013.
- Past Federal Disaster Declarations for flooding = 6
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 1 policies totaling approximately \$350,000

Data provided below only includes areas within the Village of Cambria, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.10.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.1	0.0	0.0	0.0
Within Floodway	0.0	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Cambria, the figures in this table only represent information within the Village of Cambria.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

### 3.3.11 Village of Cross Plains Summary (CID 550081)

The following pages include Flood Risk data for the Village of Cross Plains.

#### 3.3.11.1. Overview

The information below provides an overview of the Village of Cross Plains as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Cross Plains	550081	3,105	100	1.7	100	Y	10	Y

- Participating in Dane County Natural Hazard Mitigation Plan, which expires on 5/12/2015.
- Past Federal Disaster Declarations for flooding = 8
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 24 policies totaling approximately \$4,757,000

Data provided below only includes areas within the Village of Cross Plains, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.11.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.1	0.0	0.0	0.0
Within Floodway	0.1	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Cross Plains, the figures in this table only represent information within the Village of Cross Plains.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- The Village of Cross Plains's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$97,100,000	50%	\$2,300,000	2%	\$3,500,000	4%	\$4,300,000	4%	\$4,900,000	5%	\$300,000	0%
Commercial Building/Contents	\$46,500,000	24%	\$2,600,000	6%	\$4,200,000	9%	\$5,200,000	11%	\$6,000,000	13%	\$400,000	1%
Other Building/Contents	\$46,600,000	24%	\$200,000	0%	\$700,000	2%	\$900,000	2%	\$1,100,000	2%	\$60,000	0%
Total Building/Contents <sup>2</sup>	\$192,800,000	100%	\$5,100,000	3%	\$8,500,000	4%	\$10,400,000	5%	\$12,000,000	6%	\$800,000	0%
Business Disruption <sup>3</sup>	\$0	N/A	\$100,000	N/A	\$200,000	N/A	\$300,000	N/A	\$300,000	N/A	\$20,000	N/A
<b>TOTAL<sup>4</sup></b>	\$192,800,000	N/A	\$5,200,000	3%	\$8,700,000	5%	\$10,700,000	6%	\$12,300,000	6%	\$800,000	0%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.12 Village of Dane Summary (CID 550622)

The following pages include Flood Risk data for the Village of Dane.

#### 3.3.12.1. Overview

The information below provides an overview of the Village of Dane as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Dane	550622	799	55	1.2	55	N	10	Y

- Participating in Dane County Natural Hazard Mitigation Plan, which expires on 5/12/2015.
- Past Federal Disaster Declarations for flooding = 8

Data provided below only includes areas within the Village of Dane, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.12.2. Community Analyses and Results

The Village of Dane did not have any revised floodplain areas as part of the Lower Wisconsin Watershed project. Non-regulatory products were only created for floodplain revisions.

### 3.3.13 City of Dodgeville Summary (CID 550177)

The following pages include Flood Risk data for the City of Dodgeville.

#### 3.3.13.1. Overview

The information below provides an overview of the City of Dodgeville as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
City of Dodgeville	550177	4,229	7	3.9	7	Y	10	Y

- Participating in Iowa County Multi-Hazard Mitigation Plan, which expires on 10/17/2017.
- Past Federal Disaster Declarations for flooding = 8
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 4 policies totaling approximately \$1,660,000

Data provided below only includes areas within the City of Dodgeville, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.13.2. Community Analyses and Results

The City of Dodgeville did not have any revised floodplain areas as part of the Lower Wisconsin Watershed project. Non-regulatory products were only created for floodplain revisions.

### 3.3.14 City of Fennimore Summary (CID 550504)

The following pages include Flood Risk data for the City of Fennimore.

#### 3.3.14.1. Overview

The information below provides an overview of the City of Fennimore as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
City of Fennimore	550504	2,379	28	1.6	28	N	10	N/A

- Past Federal Disaster Declarations for flooding = 12

Data provided below only includes areas within the City of Fennimore, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.14.2. Community Analyses and Results

The City of Fennimore did not have any revised floodplain areas as part of the Lower Wisconsin Watershed project. Non-regulatory products were only created for floodplain revisions.

### 3.3.15 Village of Friesland Summary (CID 550070)

The following pages include Flood Risk data for the Village of Friesland.

#### 3.3.15.1. Overview

The information below provides an overview of the Village of Friesland as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Friesland	550070	298	10	1.0	10	N	10	N

- Past Federal Disaster Declarations for flooding = 6

Data provided below only includes areas within the Village of Friesland, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.15.2. Community Analyses and Results

The Village of Friesland did not have any revised floodplain areas as part of the Lower Wisconsin Watershed project. Non-regulatory products were only created for floodplain revisions.

### 3.3.16 Village of Highland Summary (CID 550554)

The following pages include Flood Risk data for the Village of Highland.

#### 3.3.16.1. Overview

The information below provides an overview of the Village of Highland as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Highland	550554	855	100	1.1	100	N	10	Y

- Participating in Iowa County Multi-Hazard Mitigation Plan, which expires on 10/17/2017.
- Past Federal Disaster Declarations for flooding = 8

Data provided below only includes areas within the Village of Highland, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.16.2. Community Analyses and Results

The Village of Highland did not have any revised floodplain areas as part of the Lower Wisconsin Watershed project. Non-regulatory products were only created for floodplain revisions.

### 3.3.17 Village of Lime Ridge Summary (CID 550396)

The following pages include Flood Risk data for the Village of Lime Ridge.

#### 3.3.17.1. Overview

The information below provides an overview of the Village of Lime Ridge as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Lime Ridge	550396	169	24	1.0	24	Y	10	Y

- Participating in Sauk County Natural Hazard Mitigation Plan: 2011-2015, which expires on 10/3/2017.
- Past Federal Disaster Declarations for flooding = 9

Data provided below only includes areas within the Village of Lime Ridge, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.17.2. Community Analyses and Results

The Village of Lime Ridge did not have any revised floodplain areas as part of the Lower Wisconsin Watershed project. Non-regulatory products were only created for floodplain revisions.

### 3.3.18 City of Lodi Summary (CID 550061)

The following pages include Flood Risk data for the City of Lodi.

#### 3.3.18.1. Overview

The information below provides an overview of the City of Lodi as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
City of Lodi	550061	2,882	100	1.7	100	Y	10	N

- Past Federal Disaster Declarations for flooding = 6
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 24 policies totaling approximately \$3,965,700

Data provided below only includes areas within the City of Lodi, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.18.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.1	0.0	0.0	0.0
Within Floodway	0.1	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of City of Lodi, the figures in this table only represent information within the City of Lodi.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Hazus Estimated Loss Information**

- The City of Lodi's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Commercial Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Other Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Total Building/Contents <sup>2</sup>	\$0	100%	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$1,500,000	N/A
Business Disruption <sup>3</sup>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$1,600,000	N/A

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.19 Village of Lone Rock Summary (CID 550359)

The following pages include Flood Risk data for the Village of Lone Rock.

#### 3.3.19.1. Overview

The information below provides an overview of the Village of Lone Rock as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Lone Rock	550359	923	100	1.0	100	Y	10	N

- Past Federal Disaster Declarations for flooding = 10
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 1 policies totaling approximately \$175,000

Data provided below only includes areas within the Village of Lone Rock, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.19.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.0	0.0	0.0	0.0
Within Floodway	0.0	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Lone Rock, the figures in this table only represent information within the Village of Lone Rock.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Hazus Estimated Loss Information**

- The Village of Lone Rock's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$3,200,000	88%	\$600,000	20%	\$700,000	21%	\$700,000	22%	\$700,000	22%	\$70,000	2%
Commercial Building/Contents	\$400,000	12%	\$90,000	22%	\$100,000	24%	\$100,000	24%	\$100,000	25%	\$10,000	2%
Other Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Total Building/Contents <sup>2</sup>	\$3,600,000	100%	\$700,000	20%	\$800,000	22%	\$800,000	22%	\$800,000	23%	\$80,000	2%
Business Disruption <sup>3</sup>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$3,600,000	N/A	\$700,000	20%	\$800,000	22%	\$800,000	22%	\$800,000	23%	\$80,000	2%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.20 City of Madison Summary (CID 550083)

The following pages include Flood Risk data for the City of Madison.

#### 3.3.20.1. Overview

The information below provides an overview of the City of Madison as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
City of Madison	550083	209,622	0	78.1	0	Y	10	Y

- Participating in Dane County Natural Hazard Mitigation Plan, which expires on 5/12/2015.
- Past Federal Disaster Declarations for flooding = 8
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 225 policies totaling approximately \$52,776,400
- NFIP-recognized repetitive loss properties = 1 (1 residential and 0 commercial)

Data provided below only includes areas within the City of Madison, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.20.2. Community Analyses and Results

The City of Madison did not have any revised floodplain areas as part of the Lower Wisconsin Watershed project. Non-regulatory products were only created for floodplain revisions.

### 3.3.21 Village of Mazomanie Summary (CID 550085)

The following pages include Flood Risk data for the Village of Mazomanie.

#### 3.3.21.1. Overview

The information below provides an overview of the Village of Mazomanie as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Mazomanie	550085	1,506	100	1.8	100	Y	8	N

- Past Federal Disaster Declarations for flooding = 8
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 22 policies totaling approximately \$3,142,900
- NFIP-recognized repetitive loss properties = 1 (1 residential and 0 commercial)

Data provided below only includes areas within the Village of Mazomanie, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.21.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.1	0.0	0.0	0.0
Within Floodway	0.1	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Mazomanie, the figures in this table only represent information within the Village of Mazomanie.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- The Village of Mazomanie's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$46,500,000	75%	\$2,400,000	5%	\$4,000,000	9%	\$5,200,000	11%	\$6,100,000	13%	\$300,000	1%
Commercial Building/Contents	\$7,000,000	11%	\$200,000	2%	\$400,000	5%	\$700,000	10%	\$900,000	13%	\$30,000	0%
Other Building/Contents	\$8,200,000	13%	\$400,000	5%	\$700,000	8%	\$900,000	11%	\$1,000,000	12%	\$60,000	1%
Total Building/Contents <sup>2</sup>	\$61,700,000	100%	\$3,000,000	5%	\$5,000,000	8%	\$6,800,000	11%	\$8,000,000	13%	\$400,000	1%
Business Disruption <sup>3</sup>	\$0	N/A	\$30,000	N/A	\$60,000	N/A	\$100,000	N/A	\$100,000	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$61,700,000	N/A	\$3,100,000	5%	\$5,100,000	8%	\$6,900,000	11%	\$8,200,000	13%	\$400,000	1%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.22 Village of Merrimac Summary (CID 550398)

The following pages include Flood Risk data for the Village of Merrimac.

#### 3.3.22.1. Overview

The information below provides an overview of the Village of Merrimac as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Merrimac	550398	419	100	1.4	100	Y	10	Y

- Participating in Sauk County Natural Hazard Mitigation Plan: 2011-2015, which expires on 10/3/2017.
- Past Federal Disaster Declarations for flooding = 9

Data provided below only includes areas within the Village of Merrimac, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.22.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.1	0.0	0.0	0.0
Within Floodway	0.5	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Merrimac, the figures in this table only represent information within the Village of Merrimac.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Hazus Estimated Loss Information**

- The Village of Merrimac's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Commercial Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Other Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Total Building/Contents <sup>2</sup>	\$0	100%	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$100,000	N/A
Business Disruption <sup>3</sup>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$100,000	N/A

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.23 City of Middleton Summary (CID 550087)

The following pages include Flood Risk data for the City of Middleton.

#### 3.3.23.1. Overview

The information below provides an overview of the City of Middleton as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
City of Middleton	550087	15,677	5	9.0	5	Y	10	Y

- Participating in Dane County Natural Hazard Mitigation Plan, which expires on 5/12/2015.
- Past Federal Disaster Declarations for flooding = 8
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 18 policies totaling approximately \$5,858,000

Data provided below only includes areas within the City of Middleton, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.23.2. Community Analyses and Results

The City of Middleton did not have any revised floodplain areas as part of the Lower Wisconsin Watershed project. Non-regulatory products were only created for floodplain revisions.

- **Areas of Mitigation Interest**
  - Section 2.2.4 of the FRR provides more information regarding areas of mitigation interest, how they are defined for this analysis, and potential mitigation actions that could be considered for each type. The table below summarizes the number of areas of mitigation interest by type.

Type of Mitigation Interest	Number of Areas	Data Source
Significant Land Use Change	1	Discovery Meeting

### 3.3.24 Village of Montfort Summary (CID 550525)

The following pages include Flood Risk data for the Village of Montfort.

#### 3.3.24.1. Overview

The information below provides an overview of the Village of Montfort as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Montfort	550525	663	62	0.5	62	N	10	N/A

- Past Federal Disaster Declarations for flooding = 8

Data provided below only includes areas within the Village of Montfort, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.24.2. Community Analyses and Results

The Village of Montfort did not have any revised floodplain areas as part of the Lower Wisconsin Watershed project. Non-regulatory products were only created for floodplain revisions.

### 3.3.25 Village of Mount Horeb Summary (CID 550624)

The following pages include Flood Risk data for the Village of Mount Horeb.

#### 3.3.25.1. Overview

The information below provides an overview of the Village of Mount Horeb as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Mount Horeb	550624	5,844	26	3.2	26	N	10	N

- Past Federal Disaster Declarations for flooding = 8

Data provided below only includes areas within the Village of Mount Horeb, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.25.2. Community Analyses and Results

The Village of Mount Horeb did not have any revised floodplain areas as part of the Lower Wisconsin Watershed project. Non-regulatory products were only created for floodplain revisions.

### 3.3.26 Village of Muscoda Summary (CID 550153)

The following pages include Flood Risk data for the Village of Muscoda.

#### 3.3.26.1. Overview

The information below provides an overview of the Village of Muscoda as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Muscoda	550153	1,453	100	1.5	100	Y	10	N/A

- Past Federal Disaster Declarations for flooding = 12
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 2 policies totaling approximately \$265,000

Data provided below only includes areas within the Village of Muscoda, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.26.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.0	0.0	0.0	0.0
Within Floodway	0.0	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Muscoda, the figures in this table only represent information within the Village of Muscoda.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- The Village of Muscoda's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$5,100,000	50%	\$50,000	1%	\$100,000	2%	\$200,000	3%	\$300,000	7%	\$10,000	0%
Commercial Building/Contents	\$1,600,000	16%	\$10,000	1%	\$80,000	5%	\$100,000	8%	\$200,000	13%	\$10,000	0%
Other Building/Contents	\$3,500,000	34%	\$100,000	3%	\$100,000	3%	\$100,000	4%	\$200,000	5%	\$10,000	0%
Total Building/Contents <sup>2</sup>	\$10,200,000	100%	\$200,000	2%	\$300,000	3%	\$400,000	4%	\$700,000	7%	\$20,000	0%
Business Disruption <sup>3</sup>	\$0	N/A	\$10,000	N/A	\$10,000	N/A	\$10,000	N/A	\$20,000	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$10,200,000	N/A	\$200,000	2%	\$300,000	3%	\$400,000	4%	\$800,000	7%	\$20,000	0%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.27 Village of Pardeeville Summary (CID 550062)

The following pages include Flood Risk data for the Village of Pardeeville.

#### 3.3.27.1. Overview

The information below provides an overview of the Village of Pardeeville as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Pardeeville	550062	1,982	21	2.3	21	Y	10	Y

- Participating in Columbia County Wisconsin Hazard Mitigation Plan: 2008-2012, which expires on 9/29/2013.
- Past Federal Disaster Declarations for flooding = 6
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 5 policies totaling approximately \$1,329,000

Data provided below only includes areas within the Village of Pardeeville, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.27.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.1	0.0	0.0	0.0
Within Floodway	0.0	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Pardeeville, the figures in this table only represent information within the Village of Pardeeville.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

### 3.3.28 Village of Plain Summary (CID 550400)

The following pages include Flood Risk data for the Village of Plain.

#### 3.3.28.1. Overview

The information below provides an overview of the Village of Plain as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Plain	550400	792	100	0.8	100	Y	10	Y

- Participating in Sauk County Natural Hazard Mitigation Plan: 2011-2015, which expires on 10/3/2017.
- Past Federal Disaster Declarations for flooding = 9

Data provided below only includes areas within the Village of Plain, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.28.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.2	0.0	0.0	0.0
Within Floodway	0.1	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Plain, the figures in this table only represent information within the Village of Plain.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

### 3.3.29 Village of Poynette Summary (CID 550064)

The following pages include Flood Risk data for the Village of Poynette.

#### 3.3.29.1. Overview

The information below provides an overview of the Village of Poynette as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Poynette	550064	2,266	100	2.6	100	Y	10	N

- Past Federal Disaster Declarations for flooding = 6

Data provided below only includes areas within the Village of Poynette, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.29.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.3	0.0	0.1	-0.1
Within Floodway	0.0	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Poynette, the figures in this table only represent information within the Village of Poynette.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Hazus Estimated Loss Information**

- The Village of Poynette's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Commercial Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Other Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Total Building/Contents <sup>2</sup>	\$0	100%	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$80,000	N/A
Business Disruption <sup>3</sup>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$80,000	N/A

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent

### 3.3.30 City of Prairie du Chien Summary (CID 555573)

The following pages include Flood Risk data for the City of Prairie du Chien.

#### 3.3.30.1. Overview

The information below provides an overview of the City of Prairie du Chien as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
City of Prairie du Chien	555573	5,904	11	6.5	11	Y	10	Y

- Participating in Crawford County Multi-Hazards Mitigation Plan 2012-2016, which expires on 7/26/2017.
- Past Federal Disaster Declarations for flooding = 13
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 38 policies totaling approximately \$3,531,800
- NFIP-recognized repetitive loss properties = 3 (3 residential and 0 commercial).

Data provided below only includes areas within the City of Prairie du Chien, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.30.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.0	0.0	0.0	0.0
Within Floodway	0.0	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of City of Prairie du Chien, the figures in this table only represent information within the City of Prairie du Chien.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
  - Water surface elevation grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Water surface elevation change grids
  - 1-percent-plus flood depth grids
  - Velocity grids
  - Top and toe of levee depth grids
  - Water surface or depth grids based upon additional flood frequency profiles
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- The City of Prairie du Chien's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur. Please note no losses were identified for the City of Prairie du Chien in the Lower Wisconsin Watershed.

### 3.3.31 Village of Prairie du Sac Summary (CID 550401)

The following pages include Flood Risk data for the Village of Prairie du Sac.

#### 3.3.31.1. Overview

The information below provides an overview of the Village of Prairie du Sac as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Prairie du Sac	550401	3,242	100	1.7	100	Y	10	Y

- Participating in Sauk County Natural Hazard Mitigation Plan: 2011-2015, which expires on 10/3/2017.
- Past Federal Disaster Declarations for flooding = 9
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 1 policies totaling approximately \$210,000

Data provided below only includes areas within the Village of Prairie du Sac, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.31.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.0	0.0	0.0	0.0
Within Floodway	0.2	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Prairie du Sac, the figures in this table only represent information within the Village of Prairie du Sac.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- The Village of Prairie du Sac's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$2,800,000	100%	\$700,000	25%	\$900,000	31%	\$900,000	33%	\$1,000,000	34%	\$80,000	3%
Commercial Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Other Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Total Building/Contents <sup>2</sup>	\$2,800,000	100%	\$700,000	25%	\$900,000	31%	\$900,000	33%	\$1,000,000	34%	\$80,000	3%
Business Disruption <sup>3</sup>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$2,800,000	N/A	\$700,000	25%	\$900,000	31%	\$900,000	33%	\$1,000,000	34%	\$80,000	3%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.32 City of Richland Center Summary (CID 555576)

The following pages include Flood Risk data for the City of Richland Center.

#### 3.3.32.1. Overview

The information below provides an overview of the City of Richland Center as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
City of Richland Center	555576	4,857	100	4.7	100	Y	10	Y

- Participating in Richland County Hazard Mitigation Plan, which expires on 10/9/2014.
- Past Federal Disaster Declarations for flooding = 10
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 6 policies totaling approximately \$2,192,000
- NFIP-recognized repetitive loss properties = 2 (2 residential and 0 commercial).

Data provided below only includes areas within the City of Richland Center, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.32.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.2	0.0	0.5	-0.4
Within Floodway	0.8	0.4	0.1	0.3

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of City of Richland Center, the figures in this table only represent information within the City of Richland Center.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Hazus Estimated Loss Information**

- The City of Richland Center's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Commercial Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Other Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Total Building/Contents <sup>2</sup>	\$0	100%	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$1,200,000	N/A
Business Disruption <sup>3</sup>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$1,200,000	N/A

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.33 Village of Ridgeway Summary (CID 550181)

The following pages include Flood Risk data for the Village of Ridgeway.

#### 3.3.33.1. Overview

The information below provides an overview of the Village of Ridgeway as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Ridgeway	550181	689	40	1.3	40	Y	10	Y

- Participating in Iowa County Multi-Hazard Mitigation Plan, which expires on 10/17/2017.
- Past Federal Disaster Declarations for flooding = 8

Data provided below only includes areas within the Village of Ridgeway, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.33.2. Community Analyses and Results

The Village of Ridgeway did not have any revised floodplain areas as part of the Lower Wisconsin Watershed project. Non-regulatory products were only created for floodplain revisions.

### 3.3.34 Village of Rio Summary (CID 550008)

The following pages include Flood Risk data for the Village of Rio.

#### 3.3.34.1. Overview

The information below provides an overview of the Village of Rio as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Rio	550008	945	100	1.3	100	N	10	N

- Past Federal Disaster Declarations for flooding = 6

Data provided below only includes areas within the Village of Rio, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.34.2. Community Analyses and Results

The Village of Rio did not have any revised floodplain areas as part of the Lower Wisconsin Watershed project. Non-regulatory products were only created for floodplain revisions.

### 3.3.35 Village of Sauk City Summary (CID 550404)

The following pages include Flood Risk data for the Village of Sauk City.

#### 3.3.35.1. Overview

The information below provides an overview of the Village of Sauk City as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Sauk City	550404	3,109	100	1.7	100	Y	10	Y

- Participating in Sauk County Natural Hazard Mitigation Plan: 2011-2015, which expires on 10/3/2017.
- Past Federal Disaster Declarations for flooding = 9
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 2 policies totaling approximately \$218,500

Data provided below only includes areas within the Village of Sauk City, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.35.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.0	0.0	0.0	0.0
Within Floodway	0.3	0.1	0.0	0.1

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Sauk City, the figures in this table only represent information within the Village of Sauk City.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- The Village of Sauk City's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$11,000,000	28%	\$3,400,000	31%	\$3,900,000	35%	\$4,000,000	36%	\$4,300,000	39%	\$400,000	3%
Commercial Building/Contents	\$25,700,000	66%	\$7,300,000	28%	\$9,300,000	36%	\$10,100,000	39%	\$11,600,000	45%	\$800,000	3%
Other Building/Contents	\$2,100,000	5%	\$200,000	9%	\$200,000	10%	\$300,000	13%	\$400,000	19%	\$20,000	1%
Total Building/Contents <sup>2</sup>	\$38,800,000	100%	\$10,900,000	28%	\$13,300,000	34%	\$14,300,000	37%	\$16,300,000	42%	\$1,400,000	4%
Business Disruption <sup>3</sup>	\$0	N/A	\$200,000	N/A	\$300,000	N/A	\$300,000	N/A	\$400,000	N/A	\$20,000	N/A
<b>TOTAL<sup>4</sup></b>	\$38,800,000	N/A	\$11,100,000	29%	\$13,600,000	35%	\$14,600,000	38%	\$16,600,000	43%	\$1,400,000	4%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.36 Village of Spring Green Summary (CID 550405)

The following pages include Flood Risk data for the Village of Spring Green.

#### 3.3.36.1. Overview

The information below provides an overview of the Village of Spring Green as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Spring Green	550405	1,467	100	1.7	100	Y	10	Y

- Participating in Sauk County Natural Hazard Mitigation Plan: 2011-2015, which expires on 10/3/2017.
- Past Federal Disaster Declarations for flooding = 9
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 2 policies totaling approximately \$560,000

Data provided below only includes areas within the Village of Spring Green, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.36.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.1	0.0	0.0	0.0
Within Floodway	0.0	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Spring Green, the figures in this table only represent information within the Village of Spring Green.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- The Village of Spring Green's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$33,800,000	74%	\$800,000	2%	\$1,600,000	5%	\$1,900,000	6%	\$2,700,000	8%	\$100,000	0%
Commercial Building/Contents	\$700,000	1%	\$40,000	6%	\$50,000	8%	\$50,000	8%	\$60,000	9%	\$0	0%
Other Building/Contents	\$11,400,000	25%	\$200,000	2%	\$600,000	5%	\$800,000	7%	\$1,200,000	11%	\$40,000	0%
Total Building/Contents <sup>2</sup>	\$45,800,000	100%	\$1,100,000	2%	\$2,300,000	5%	\$2,800,000	6%	\$3,900,000	9%	\$200,000	0%
Business Disruption <sup>3</sup>	\$0	N/A	\$20,000	N/A	\$50,000	N/A	\$60,000	N/A	\$100,000	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$45,800,000	N/A	\$1,100,000	2%	\$2,300,000	5%	\$2,800,000	6%	\$4,000,000	9%	\$200,000	0%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.37 Village of Wauzeka Summary (CID 555586)

The following pages include Flood Risk data for the Village of Wauzeka.

#### 3.3.37.1. Overview

The information below provides an overview of the Village of Wauzeka as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Wauzeka	555586	768	69	5.2	69	Y	10	Y

- Participating in Crawford County Multi-Hazards Mitigation Plan 2012-2016, which expires on 7/26/2017.
- Past Federal Disaster Declarations for flooding = 13
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 4 policies totaling approximately \$730,000

Data provided below only includes areas within the Village of Wauzeka, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.37.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.0	0.0	0.0	0.0
Within Floodway	1.7	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Wauzeka, the figures in this table only represent information within the Village of Wauzeka.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- The Village of Wauzeka's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$200,000	100%	\$90,000	51%	\$100,000	55%	\$100,000	56%	\$100,000	57%	\$10,000	5%
Commercial Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Other Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Total Building/Contents <sup>2</sup>	\$200,000	100%	\$90,000	51%	\$100,000	55%	\$100,000	56%	\$100,000	57%	\$10,000	5%
Business Disruption <sup>3</sup>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$200,000	N/A	\$90,000	51%	\$100,000	55%	\$100,000	56%	\$100,000	57%	\$10,000	5%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.38 Village of Woodman Summary (CID 550156)

The following pages include Flood Risk data for the Village of Woodman.

#### 3.3.38.1. Overview

The information below provides an overview of the Village of Woodman as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Woodman	550156	96	100	0.2	100	Y	10	N/A

- Past Federal Disaster Declarations for flooding = 12

Data provided below only includes areas within the Village of Woodman, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.38.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.0	0.0	0.0	0.0
Within Floodway	0.0	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Woodman, the figures in this table only represent information within the Village of Woodman.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- The Village of Woodman's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Commercial Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Other Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Total Building/Contents <sup>2</sup>	\$0	100%	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$70,000	N/A
Business Disruption <sup>3</sup>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$70,000	N/A

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.39 Village of Wyocena Summary (CID 550066)

The following pages include Flood Risk data for the Village of Wyocena.

#### 3.3.39.1. Overview

The information below provides an overview of the Village of Wyocena as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Wyocena	550066	668	100	1.6	100	Y	10	N

- Past Federal Disaster Declarations for flooding = 6
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 4 policies totaling approximately \$658,300

Data provided below only includes areas within the Village of Wyocena, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.39.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.3	0.0	0.0	0.0
Within Floodway	0.0	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Wyocena, the figures in this table only represent information within the Village of Wyocena.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Hazus Estimated Loss Information**

- The Village of Wycocena's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Commercial Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Other Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Total Building/Contents <sup>2</sup>	\$0	100%	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$400,000	N/A
Business Disruption <sup>3</sup>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$400,000	N/A

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.40 Village of Yuba Summary (CID 550362)

The following pages include Flood Risk data for the Village of Yuba.

#### 3.3.40.1. Overview

The information below provides an overview of the Village of Yuba as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Village of Yuba	550362	92	100	0.3	100	Y	10	N

- Past Federal Disaster Declarations for flooding = 10
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 2 policies totaling approximately \$78,300

Data provided below only includes areas within the Village of Yuba, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.40.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.1	0.0	0.0	0.0
Within Floodway	0.0	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Village of Yuba, the figures in this table only represent information within the Village of Yuba.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Hazus Estimated Loss Information**

- The Village of Yuba's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Commercial Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Other Building/Contents	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
Total Building/Contents <sup>2</sup>	\$0	100%	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$60,000	N/A
Business Disruption <sup>3</sup>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$60,000	N/A

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.41 Columbia County Summary (CID 550581)

The following pages include Flood Risk data for the Columbia County.

#### 3.3.41.1. Overview

The information below provides an overview of Columbia County as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Columbia County	550581	23,673	39	759.7	39	Y	10	Y

- Participating in Columbia County Wisconsin Hazard Mitigation Plan: 2008-2012, which expires on 9/29/2013.
- Past Federal Disaster Declarations for flooding = 6
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 107 policies totaling approximately \$17,445,200
- NFIP-recognized repetitive loss properties = 8 (8 residential and 0 commercial)

Data provided below only includes areas within Columbia County, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.41.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	28.3	3.4	6.5	-3.1
Within Floodway	11.8	0.1	0.1	-0.1

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Columbia County, the figures in this table only represent information within the Columbia County.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- Columbia County's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$7,800,000	39%	\$400,000	5%	\$600,000	7%	\$600,000	8%	\$700,000	9%	\$50,000	1%
Commercial Building/Contents	\$10,600,000	53%	\$2,100,000	19%	\$2,900,000	27%	\$3,000,000	29%	\$3,300,000	32%	\$200,000	2%
Other Building/Contents	\$1,600,000	8%	\$90,000	6%	\$100,000	9%	\$100,000	9%	\$200,000	10%	\$10,000	1%
Total Building/Contents <sup>2</sup>	\$19,900,000	100%	\$2,500,000	13%	\$3,600,000	18%	\$3,800,000	19%	\$4,200,000	21%	\$1,900,000	10%
Business Disruption <sup>3</sup>	\$0	N/A	\$70,000	N/A	\$90,000	N/A	\$100,000	N/A	\$100,000	N/A	\$10,000	N/A
<b>TOTAL<sup>4</sup></b>	\$19,900,000	N/A	\$2,600,000	13%	\$3,700,000	18%	\$3,900,000	19%	\$4,300,000	21%	\$1,900,000	10%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

- **Areas of Mitigation Interest**

- Section 2.2.4 of the FRR provides more information regarding areas of mitigation interest, how they are defined for this analysis, and potential mitigation actions that could be considered for each type. The table below summarizes the number of areas of mitigation interest by type.

Type of Mitigation Interest	Number of Areas	Data Source
Other Flood Risk Areas	2	Discovery Meeting

### 3.3.42 Crawford County Summary (CID 555551)

The following pages include Flood Risk data for the Crawford County.

#### 3.3.42.1. Overview

The information below provides an overview of Crawford County as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Crawford County	555551	7,888	29	558.7	29	Y	10	Y

- Participating in Crawford County Multi-Hazards Mitigation Plan 2012-2016, which expires on 7/26/2017.
- Past Federal Disaster Declarations for flooding = 13
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 58 policies totaling approximately \$4,954,300
- NFIP-recognized repetitive loss properties = 1 (1 residential and 0 commercial)

Data provided below only includes areas within Crawford County, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.42.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	1.1	0.3	0.2	0.1
Within Floodway	13.3	0.1	0.2	-0.1

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Crawford County, the figures in this table only represent information within the Crawford County.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- Crawford County's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$51,800,000	88%	\$800,000	1%	\$900,000	2%	\$1,000,000	2%	\$1,100,000	2%	\$90,000	0%
Commercial Building/Contents	\$2,500,000	4%	\$0	N/A	\$0	0%	\$0	0%	\$10,000	0%	\$0	N/A
Other Building/Contents	\$4,600,000	8%	\$10,000	0%	\$10,000	0%	\$10,000	0%	\$20,000	0%	\$0	N/A
Total Building/Contents <sup>2</sup>	\$58,900,000	100%	\$800,000	1%	\$900,000	2%	\$1,000,000	2%	\$1,200,000	2%	\$90,000	0%
Business Disruption <sup>3</sup>	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$58,900,000	N/A	\$800,000	1%	\$900,000	2%	\$1,000,000	2%	\$1,200,000	2%	\$90,000	0%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.43 Dane County Summary (CID 550077)

The following pages include Flood Risk data for the Dane County.

#### 3.3.43.1. Overview

The information below provides an overview of Dane County as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Dane County	550077	72,726	21	1,042.5	21	Y	10	Y

- Participating in Dane County Natural Hazard Mitigation Plan, which expires on 5/12/2015.
- Past Federal Disaster Declarations for flooding = 8
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 206 policies totaling approximately \$42,266,200
- NFIP-recognized repetitive loss properties = 5 (5 residential and 0 commercial)

Data provided below only includes areas within Dane County, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.43.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	17.5	0.6	1.2	-0.6
Within Floodway	5.3	0.4	1.1	-0.7

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Dane County, the figures in this table only represent information within the Dane County.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- Dane County's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$139,400,000	87%	\$7,200,000	5%	\$11,300,000	8%	\$12,900,000	9%	\$16,000,000	11%	\$900,000	1%
Commercial Building/Contents	\$10,700,000	7%	\$800,000	8%	\$1,400,000	13%	\$1,600,000	15%	\$1,900,000	18%	\$100,000	1%
Other Building/Contents	\$10,300,000	6%	\$600,000	6%	\$800,000	8%	\$1,000,000	9%	\$1,100,000	11%	\$70,000	1%
Total Building/Contents <sup>2</sup>	\$160,400,000	100%	\$8,600,000	5%	\$13,500,000	8%	\$15,400,000	10%	\$19,000,000	12%	\$1,200,000	1%
Business Disruption <sup>3</sup>	\$0	N/A	\$100,000	N/A	\$200,000	N/A	\$200,000	N/A	\$200,000	N/A	\$10,000	N/A
<b>TOTAL<sup>4</sup></b>	\$160,400,000	N/A	\$8,700,000	5%	\$13,600,000	8%	\$15,600,000	10%	\$19,200,000	12%	\$1,200,000	1%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

- **Areas of Mitigation Interest**

- Section 2.2.4 of the FRR provides more information regarding areas of mitigation interest, how they are defined for this analysis, and potential mitigation actions that could be considered for each type. The table below summarizes the number of areas of mitigation interest by type.

Type of Mitigation Interest	Number of Areas	Data Source
Areas of Mitigation Success	2	Discovery Meeting
Other Flood Risk Areas	1	Discovery Meeting
Significant Land Use Change	1	Discovery Meeting

### 3.3.44 Grant County Summary (CID 555557)

The following pages include Flood Risk data for the Grant County.

#### 3.3.44.1. Overview

The information below provides an overview of Grant County as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Grant County	555557	19,378	29	1,155.6	29	Y	10	Y

- Participating in Grant County, Wisconsin Multi Hazard Mitigation Plan, which expires on 5/9/2018.
- Past Federal Disaster Declarations for flooding = 12
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 62 policies totaling approximately \$6,687,700
- NFIP-recognized repetitive loss properties = 4 (4 residential and 0 commercial)

Data provided below only includes areas within Grant County, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.44.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	9.1	1.7	0.9	0.8
Within Floodway	17.8	0.4	1.1	-0.7

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Grant County, the figures in this table only represent information within the Grant County.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- Grant County's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$51,700,000	90%	\$7,200,000	14%	\$7,700,000	15%	\$7,900,000	15%	\$8,200,000	16%	\$700,000	1%
Commercial Building/Contents	\$1,900,000	3%	\$600,000	32%	\$600,000	33%	\$600,000	34%	\$600,000	34%	\$60,000	3%
Other Building/Contents	\$3,800,000	7%	\$600,000	15%	\$600,000	17%	\$700,000	17%	\$700,000	18%	\$60,000	2%
Total Building/Contents <sup>2</sup>	\$57,400,000	100%	\$8,400,000	15%	\$9,000,000	16%	\$9,500,000	16%	\$9,500,000	17%	\$900,000	2%
Business Disruption <sup>3</sup>	\$0	N/A	\$60,000	N/A	\$60,000	N/A	\$60,000	N/A	\$60,000	N/A	\$10,000	N/A
<b>TOTAL<sup>4</sup></b>	\$57,400,000	N/A	\$8,400,000	15%	\$9,000,000	16%	\$9,200,000	16%	\$9,600,000	17%	\$900,000	2%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

### 3.3.45 Iowa County Summary (CID 550522)

The following pages include Flood Risk data for the Iowa County.

#### 3.3.45.1. Overview

The information below provides an overview of Iowa County as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Iowa County	550522	10,056	54	749.6	54	Y	10	Y

- Participating in Iowa County Multi-Hazard Mitigation Plan, which expires on 10/17/2017.
- Past Federal Disaster Declarations for flooding = 8
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 22 policies totaling approximately \$2,191,400

Data provided below only includes areas within Iowa County, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.45.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	0.0	0.0	0.0	0.0
Within Floodway	0.0	0.0	0.0	0.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Iowa County, the figures in this table only represent information within the Iowa County.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- Iowa County's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$53,900,000	66%	\$6,200,000	12%	\$7,300,000	14%	\$7,800,000	14%	\$9,000,000	17%	\$700,000	1%
Commercial Building/Contents	\$20,700,000	25%	\$5,800,000	28%	\$6,600,000	32%	\$6,800,000	33%	\$7,300,000	35%	\$600,000	3%
Other Building/Contents	\$6,600,000	8%	\$1,100,000	16%	\$1,400,000	21%	\$1,600,000	25%	\$2,100,000	32%	\$100,000	2%
Total Building/Contents <sup>2</sup>	\$81,100,000	100%	\$13,100,000	16%	\$15,300,000	19%	\$16,200,000	20%	\$18,300,000	23%	\$1,400,000	2%
Business Disruption <sup>3</sup>	\$0	N/A	\$300,000	N/A	\$300,000	N/A	\$400,000	N/A	\$400,000	N/A	\$30,000	N/A
<b>TOTAL<sup>4</sup></b>	\$81,100,000	N/A	\$13,400,000	16%	\$15,600,000	19%	\$16,600,000	20%	\$18,800,000	23%	\$1,500,000	2%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

- **Areas of Mitigation Interest**

- Section 2.2.4 of the FRR provides more information regarding areas of mitigation interest, how they are defined for this analysis, and potential mitigation actions that could be considered for each type. The table below summarizes the number of areas of mitigation interest by type.

Type of Mitigation Interest	Number of Areas	Data Source
Dam	3	Discovery Meeting
Other	2	Discovery Meeting

### 3.3.46 Richland County Summary (CID 550356)

The following pages include Flood Risk data for the Richland County.

#### 3.3.46.1. Overview

The information below provides an overview of Richland County as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Richland County	550356	11,181	88	581.6	88	Y	10	Y

- Participating in Richland County Hazard Mitigation Plan, which expires on 10/9/2014.
- Past Federal Disaster Declarations for flooding = 10
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 71 policies totaling approximately \$7,170,700
- NFIP-recognized repetitive loss properties = 3 (3 residential and 0 commercial)
- NFIP-recognized severe repetitive loss properties = 1 (residential)

Data provided below only includes areas within Richland County, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.46.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	31.5	3.8	15.9	-12.0
Within Floodway	9.1	0.8	0.6	0.2

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Richland County, the figures in this table only represent information within the Richland County.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- Richland County's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$40,500,000	81%	\$5,500,000	14%	\$6,000,000	15%	\$6,200,000	15%	\$6,400,000	16%	\$600,000	1%
Commercial Building/Contents	\$6,200,000	12%	\$1,100,000	17%	\$1,100,000	18%	\$1,200,000	19%	\$1,200,000	19%	\$100,000	2%
Other Building/Contents	\$3,400,000	7%	\$300,000	10%	\$400,000	11%	\$400,000	12%	\$400,000	13%	\$30,000	1%
Total Building/Contents <sup>2</sup>	\$50,100,000	100%	\$6,900,000	14%	\$7,500,000	15%	\$7,700,000	15%	\$8,000,000	16%	\$1,500,000	3%
Business Disruption <sup>3</sup>	\$0	N/A	\$30,000	N/A	\$30,000	N/A	\$30,000	N/A	\$40,000	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$50,100,000	N/A	\$6,900,000	14%	\$7,600,000	15%	\$7,700,000	15%	\$8,100,000	16%	\$1,600,000	3%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

- **Areas of Mitigation Interest**

- Section 2.2.4 of the FRR provides more information regarding areas of mitigation interest, how they are defined for this analysis, and potential mitigation actions that could be considered for each type. The table below summarizes the number of areas of mitigation interest by type.

Type of Mitigation Interest	Number of Areas	Data Source
Dam	2	Discovery Meeting
Other	4	Discovery Meeting

### 3.3.47 Sauk County Summary (CID 550391)

The following pages include Flood Risk data for the Sauk County.

#### 3.3.47.1. Overview

The information below provides an overview of Sauk County as of the date of this publication.

Community Name	CID	Total Community Population	Percent of Population in Watershed	Total Community Land Area (sq mi)	Percent of Land Area in Watershed	NFIP	CRS Rating	Mitigation Plan
Sauk County	550391	22,191	45	812.6	45	Y	10	Y

- Participating in Sauk County Natural Hazard Mitigation Plan: 2011-2015, which expires on 10/3/2017.
- Past Federal Disaster Declarations for flooding = 9
- National Flood Insurance Program (NFIP) policy coverage (policies/values) = 105 policies totaling approximately \$20,144,300
- NFIP-recognized repetitive loss properties = 2 (2 residential and 0 commercial)
- NFIP-recognized severe repetitive loss properties = 1 (residential)

Data provided below only includes areas within Sauk County, that area located within the Lower Wisconsin Watershed, and do not necessarily represent community-wide totals. Section 2 of the Flood Risk Report (FRR) provides more information regarding the source and methodology used to develop the information presented below. Datasets used toward the generation of results of this project are described in Section 7 of the FRR and are found in the Flood Risk Database (FRD).

#### 3.3.47.2. Community Analyses and Results

Results for each of the Flood Risk Datasets developed for this Flood Risk Project are summarized below:

- **Changes Since Last FIRM**

The table below summarizes the increases, decreases, and net change of SFHAs for the community.

Area of Study	Total Area (mi <sup>2</sup> )	Increase (mi <sup>2</sup> )	Decrease (mi <sup>2</sup> )	Net Change (mi <sup>2</sup> )
Within SFHA	11.2	0.1	0.1	0.0
Within Floodway	25.1	1.6	0.6	1.0

*\*Although the Flood Risk Database may contain Changes Since Last FIRM information outside of Sauk County, the figures in this table only represent information within the Sauk County.*

*Section 2 of this report provides more information regarding the source and methodology used to develop this table.*

This project did not include data for studying changes to affected structures or population for this watershed.

- **Flood Depth and Analysis Grids**

- See the FRD for the following depth and analysis grid data (Section 2 of the FRR provides general information regarding the development of and potential uses for this data):
  - Multi-frequency flood depth grids (10-, 4-, 2-, 1-, and 0.2-percent-annual-chance flood events)
  - Percent annual chance of flooding grids
  - Percent chance of flooding over a 30-year period grids
- Additional information and data layers provided within the FRD should be used to further isolate these and other areas where flood mitigation potential is high. The FRD includes data which may be helpful in planning and implementing mitigation strategies. Properties located in areas expected to experience some depth of water should seriously consider mitigation options for implementation.

- **Hazus Estimated Loss Information**

- Sauk County's flood risk analysis uses results from a FEMA-performed Hazus analysis which accounts for newly modeled areas in the Flood Risk Project and newly modeled depths for certain flood events. Potential losses were compared with locally provided tax data to estimate loss ratios for multiple scenarios. Additional information and data layers provided within the FRD should be used to further analyze potential losses and areas where they are likely to occur.

	Estimated Potential Losses for Flood Event Scenarios											
	Total Inventory		10% (10-yr)		2% (50-yr)		1% (100-yr)		0.2% (500-yr)		Annualized (\$/yr)	
	Estimated Value	% of Total	Dollar Losses <sup>5</sup>	Loss Ratio <sup>1,6</sup>								
Residential Building/Contents	\$78,700,000	85%	\$6,600,000	8%	\$8,100,000	10%	\$8,800,000	11%	\$10,500,000	13%	\$700,000	1%
Commercial Building/Contents	\$10,500,000	11%	\$1,800,000	17%	\$2,100,000	20%	\$2,200,000	21%	\$2,400,000	23%	\$200,000	2%
Other Building/Contents	\$3,100,000	3%	\$100,000	4%	\$200,000	7%	\$200,000	8%	\$300,000	10%	\$20,000	1%
Total Building/Contents <sup>2</sup>	\$92,300,000	100%	\$8,500,000	9%	\$10,400,000	11%	\$11,200,000	12%	\$13,200,000	14%	\$1,500,000	2%
Business Disruption <sup>3</sup>	\$0	N/A	\$40,000	N/A	\$50,000	N/A	\$60,000	N/A	\$60,000	N/A	\$0	N/A
<b>TOTAL<sup>4</sup></b>	\$92,300,000	N/A	\$8,500,000	9%	\$10,500,000	11%	\$11,300,000	12%	\$13,200,000	14%	\$1,500,000	2%

Source: Hazus analysis results stored as the Flood Risk Assessment Dataset in the Flood Risk Database.

<sup>1</sup>Loss ratio = Dollar Losses / Estimated Value

<sup>2</sup>Total Building/Contents Loss = Residential Building/Contents Loss + Commercial Building/Contents Loss + Other Building/Contents Loss.

<sup>3</sup>Business Disruption = Inventory Loss + Relocation Cost + Income Loss + Rental Income Loss + Wage Loss + Direct Output Loss.

<sup>4</sup>Total Loss = Total Building/Contents + Business Disruption

<sup>5</sup>Losses shown are rounded to nearest \$10,000 for values under \$100,000 and to the nearest \$100,000 for values over \$100,000.

<sup>6</sup>Loss Ratios rounded to nearest integer percent.

- **Areas of Mitigation Interest**

- Section 2.2.4 of the FRR provides more information regarding areas of mitigation interest, how they are defined for this analysis, and potential mitigation actions that could be considered for each type. The table below summarizes the number of areas of mitigation interest by type.

Type of Mitigation Interest	Number of Areas	Data Source
Other	1	Discovery Meeting

## 4 Actions to Reduce Flood Risk

In order to fully leverage the Flood Risk Datasets and Products created for this Flood Risk Project, local stakeholders should consider many different flood risk mitigation tactics, including, but not limited to the items shown in the sub-sections below.

### 4.1 Types of Mitigation Actions

Mitigation provides a critical foundation on which to reduce loss of life and property by avoiding or lessening the impact of hazard events. This creates safer communities and facilitates resiliency by enabling communities to return to normal function as quickly as possible after a hazard event. Once a community understands its flood risk, it is in a better position to identify potential mitigation actions that can reduce the risk to its people and property.

The mitigation plan requirements in 44 CFR Part 201 encourage communities to understand their vulnerability to hazards and take actions to minimize vulnerability and promote resilience. Flood mitigation actions generally fall into the following categories:

#### 4.1.1 Preventative Measures

Preventative measures are intended to keep flood hazards from getting worse. They can reduce future vulnerability to flooding, especially in areas where development has not yet occurred or where capital improvements have not been substantial. Examples include:

- Comprehensive land use planning
- Zoning regulations
- Subdivision regulations
- Open space preservation
- Building codes
- Floodplain development regulations
- Stormwater management
- Purchase development rights or conservation easements
- Participation in the NFIP Community Rating System (CRS)

#### 4.1.2 Property Protection Measures

Property protection measures protect existing buildings by modifying the building to withstand floods, or by removing buildings from hazardous locations. Examples include:

- Building relocation

Before Mitigation and After Mitigation



Communities will need to prioritize projects as part of the planning process. FEMA can then help route federal mitigation dollars to fund these projects.

NFIP's CRS is a voluntary incentive program that recognizes and encourages community floodplain management activities that exceed the minimum NFIP requirements. As a result, flood insurance premium rates are discounted to reflect the reduced flood risk resulting from community actions meeting the three goals of the CRS: to reduce flood losses, to facilitate accurate insurance rating, and to promote the awareness of flood insurance.

For CRS participating communities, flood insurance premium rates are discounted in increments of 5%; i.e., a Class 1 community would receive a 45% premium discount, while a Class 9 community would receive a 5% discount. (A Class 10 is not participating in the CRS and receives no discount.)

- Acquisition and clearance
- Building elevation
- Barrier installation
- Building retrofit

#### **4.1.3 Natural Resource Protection Activities**

Natural resource protection activities reduce the impact of floods by preserving or restoring natural areas such as floodplains, wetlands, and dunes and their natural functions. Examples include:

- Wetland protection
- Habitat protection
- Erosion and sedimentation control
- Best management practices (BMP)
- Prevention of stream dumping activities (anti-litter campaigns)
- Improved forestry practices such as reforestation or selective timbering (extraction)

#### **4.1.4 Structural Mitigation Projects**

Structural mitigation projects lessen the impact of floods by modifying the environmental natural progression of the flooding event. Structural protection such as upgrading dams/levees for already existing development and critical facilities may be a realistic alternative. However, citizens should be made aware of their residual risk. Examples include:

- Reservoirs, retention, and detention basins
- Levees and floodwalls
- Channel modifications
- Channel maintenance

#### **4.1.5 Public Education and Awareness Activities**

Public education and awareness activities advise residents, business owners, potential property buyers, and visitors about floods, hazardous areas, and mitigation techniques they can use to reduce the flood risk to themselves and their property. Examples include:

- Readily available and readable updated maps
- Outreach projects
- Libraries
- Technical assistance

- Real estate disclosure
- Environmental education
- Risk information via the nightly news

#### 4.1.6 Emergency Service Measures

Although not typically considered a mitigation technique, emergency service measures minimize the impact of flooding on people and property. These are actions commonly taken immediately prior to, during, or in response to a hazard event. Examples include:

- Hazard warning system
- Emergency response plan
- COOP and COG planning
- Critical facilities protection
- Health and safety maintenance
- Post flood recovery planning

For more information regarding hazard mitigation techniques, best practices, and potential grant funding sources, visit [www.fema.gov](http://www.fema.gov) or contact your local floodplain manager, emergency manager, or State Hazard Mitigation Officer.

In Section 3, specific AoMIs were identified. Table 4.1 below identifies possible mitigation actions for each AoMI to consider.

**Table 4-1. Mitigation Actions for Areas of Mitigation Interest**

<b>AoMI</b>	<b>Possible Actions to Reduce Flood Risk</b>
<b>Dams</b>	<i>Engineering assessment            Dam upgrades and strengthening            Emergency Action Plan            Dam removal            Easement creation in impoundment and downstream inundation areas</i>
<b>Levees (accredited and non-accredited) and significant levee-like structures</b>	<i>Generally same as dams above            Purchase of flood insurance for at-risk structures</i>
<b>Coastal Structures</b> <i>Jetties            Groynes            Seawalls            Other structures</i>	<i>Increase coastal setbacks for construction            Habitat restoration programs            Wetland restoration and mitigation banking programs</i>
<b>Stream Flow Pinch Point</b> <i>Undersized culverts            or            bridge openings</i>	<i>Engineering analysis            Replacement of structure pre- and post-disaster</i>
<b>Past Claims and IA/PA Hot Spots</b>	<i>Acquisition            Elevation            Relocation            Floodproofing</i>

<i>AoMI</i>	<i>Possible Actions to Reduce Flood Risk</i>
<i>Major Land Use Changes (past 5 years or next 5 years)</i>	<i>Higher regulatory standard Stormwater BMPs Transfer of Development rights Compensatory storage and equal conveyance standards</i>
<i>Key Emergency Routes Overtopped During Frequent Flooding Events</i>	<i>Elevation Creation of alternate routes Design as low water crossing</i>
<i>Areas of Significant Riverine or Coastal Erosion</i>	<i>Relocation of buildings and infrastructure Regulations and planning Natural vegetation Hardening</i>
<i>Drainage or Stormwater- Based Flood Hazard Areas, or Areas Not Identified as Floodprone on the FIRM But Known to be Inundated</i>	<i>Identification of all flood hazard areas</i>
<i>Areas of Mitigation Success</i>	<i>N/A</i>

## 4.2 Identifying Specific Actions for Your Community

As many mitigation actions are possible to lessen the impact of floods, how can a community decide which ones are appropriate to implement? There are many ways to identify specific actions most appropriate for a community. Some factors to consider may include the following:

- **Site characteristics.** Does the site present unique challenges (e.g., significant slopes or erosion potential)?
- **Flood characteristics.** Are the flood waters affecting the site fast or slow moving? Is there debris associated with the flow? How deep is the flooding?
- **Social acceptance.** Will the mitigation action be acceptable to the public? Does it cause social or cultural problems?
- **Technical feasibility.** Is the mitigation action technically feasible (e.g., making a building watertight to a reasonable depth)?
- **Administrative feasibility.** Is there administrative capability to implement the mitigation action?
- **Legal.** Does the mitigation action meet all applicable codes, regulations, and laws? Public officials may have a legal responsibility to act and inform citizens if a known hazard has been identified.
- **Economic.** Is the mitigation action affordable? Is it eligible under grant or other funding programs? Can it be completed within existing budgets?

Refer to FEMA Mitigation Planning How To Guide #3 (FEMA 386-3) “Developing the Mitigation Plan - Identifying Mitigation Actions and Implementation Strategies” for more information on how to identify specific mitigation actions to address hazard risk in your community.

FEMA in collaboration with the American Planning Association has released the publication, “Integrating Hazard Mitigation into Local Planning.” This guide explains how hazard mitigation can be incorporated into several different types of local planning programs. For more information go to [www.planning.org](http://www.planning.org), or <http://www.fema.gov/library>.

- **Environmental.** Does the mitigation action cause adverse impacts on the environment or can they be mitigated? Is it the most appropriate action among the possible alternatives?

Your local Hazard Mitigation Plan is a valuable place to identify and prioritize possible mitigation actions. The plan includes a mitigation strategy with mitigation actions that were developed through a public and open process. You can then add to or modify those actions based on what is learned during the course of the Risk MAP project and the information provided within this FRR.

### 4.3 Mitigation Programs and Assistance

Not all mitigation activities require funding (e.g., local policy actions such as strengthening a flood damage prevention ordinance), and those that do are not limited to outside funding sources (e.g., inclusion in local capital improvements plan, etc.). For those mitigation actions that require assistance through funding or technical expertise, several state and federal agencies have flood hazard mitigation grant programs and offer technical assistance. These programs may be funded at different levels over time or may be activated under special circumstances such as after a presidential disaster declaration.



Communities can link hazard mitigation plans and actions to the right FEMA grant programs to fund flood risk reduction. More information about FEMA HMA programs can be found at <http://www.fema.gov/government/grant/hma/index.shtm>.

#### 4.3.1 FEMA Mitigation Programs and Assistance

FEMA awards many mitigation grants each year to states and communities to undertake mitigation projects to prevent future loss of life and property resulting from hazard impacts, including flooding. The FEMA Hazard Mitigation Assistance (HMA) programs provide grants for mitigation through the programs listed in Table 4.2 below.

**Table 4-2. FEMA Hazard Mitigation Assistance Programs**

Mitigation Grant Program	Authorization	Purpose
Hazard Mitigation Grant Program (HMGP)	Robert T. Stafford Disaster Relief and Emergency Assistance Act	Activated after a presidential disaster declaration; provides funds on a sliding scale formula based on a percentage of the total federal assistance for a disaster for long-term mitigation measures to reduce vulnerability to natural hazards
Flood Mitigation Assistance (FMA)	National Flood Insurance Reform Act	Reduce or eliminate claims against the NFIP
Pre-Disaster Mitigation (PDM)	Disaster Mitigation Act	National competitive program focused on mitigation project and planning activities that address multiple natural hazards
Repetitive Flood Claims (RFC)	Bunning-Bereuter-Blumenauer Flood Insurance Reform Act	Reduce flood claims against the NFIP through flood mitigation; properties must be currently NFIP insured and have had at least one NFIP claim

Mitigation Grant Program	Authorization	Purpose
Severe Repetitive Loss (SRL)	Bunning-Bereuter-Blumenauer Flood Insurance Reform Act	Reduce or eliminate the long-term risk of flood damage to SRL residential structures currently insured under the NFIP

The HMGP and PDM programs offer funding for mitigation planning and project activities that address multiple natural hazard events. The FMA, RFC, and SRL programs focus funding efforts on reducing claims against the NFIP. Funding under the HMA programs is subject to availability of annual appropriations, and HMGP funding is also subject to the amount of FEMA disaster recovery assistance provided under a presidential major disaster declaration.

FEMA’s HMA grants are awarded to eligible states, tribes, and territories (applicant) that, in turn, provide subgrants to local governments and communities (subapplicant). The applicant selects and prioritizes subapplications developed and submitted to them by subapplicants and submits them to FEMA for funding consideration. Prospective subapplicants should consult the office designated as their applicant for further information regarding specific program and application requirements. Contact information for the FEMA Regional Offices and State Hazard Mitigation Officers (SHMO) is available on the FEMA website ([www.fema.gov](http://www.fema.gov)).

#### 4.3.2 Additional Mitigation Programs and Assistance

Several additional agencies including USACE, Natural Resource Conservation Service (NRCS), U.S. Geological Survey (USGS), and others have specialists on staff and can offer further information on flood hazard mitigation. The State NFIP Coordinator and SHMO are state-level sources of information and assistance, which vary among different states.

The Silver Jackets program, active in several states, is a partnership of USACE, FEMA, and state agencies. The Silver Jackets program provides a state-based strategy for an interagency approach to planning and implementing measures for risk reduction.

## 5 Acronyms and Definitions

### 5.1 Acronyms

#### A

AAL	Average Annualized Loss
ALR	Annualized Loss Ratio
<i>AoMI</i>	<i>Areas of Mitigation Interest</i>

#### B

BCA	Benefit-Cost Analysis
BFE	Base Flood Elevation
BMP	Best Management Practices

#### C

CFR	Code of Federal Regulations
COG	Continuity of Government Plan
COOP	Continuity of Operations Plan
CRS	Community Rating System
CSLF	Changes Since Last FIRM

#### D

DHS	Department of Homeland Security
DMA 2000	Disaster Mitigation Act of 2000

#### E

EOP	Emergency Operations Plan
-----	---------------------------

#### F

FEMA	Federal Emergency Management Agency
FIRM	Flood Insurance Rate Map
FIS	Flood Insurance Study
FMA	Flood Mitigation Assistance
FRD	Flood Risk Database
FRM	Flood Risk Map
FRR	Flood Risk Report
FY	Fiscal Year

#### G

GIS	Geographic Information System
-----	-------------------------------

#### H

HMA	Hazard Mitigation Assistance
HMGP	Hazard Mitigation Grant Program

<b>I</b>	
IA	Individual Assistance
<b>N</b>	
NFIA	National Flood Insurance Act
NFIP	National Flood Insurance Program
NRCS	Natural Resource Conservation Service
<b>P</b>	
PA	Public Assistance
PDM	Pre-Disaster Mitigation
<b>R</b>	
RFC	Repetitive Flood Claims
Risk MAP	Mapping, Assessment, and Planning
<b>S</b>	
SFHA	Special Flood Hazard Area
SHMO	State Hazard Mitigation Officer
SRL	Severe Repetitive Loss
<b>U</b>	
USACE	U.S. Army Corps of Engineers
USGS	U.S. Geological Survey

## 5.2 Definitions

**0.2-percent-annual-chance flood** – The flood elevation that has a 0.2-percent chance of being equaled or exceeded each year. Sometimes referred to as the 500-year flood.

**1-percent-annual-chance flood** – The flood elevation that has a 1-percent chance of being equaled or exceeded each year. Sometimes referred to as the 100-year flood.

**Annualized Loss Ratio (ALR)** – Expresses the annualized loss as a fraction of the value of the local inventory (total value/annualized loss).

**Average Annualized Loss (AAL)** – The estimated long-term weighted average value of losses to property in any single year in a specified geographic area.

**Base Flood Elevation (BFE)** – Elevation of the 1-percent-annual-chance flood. This elevation is the basis of the insurance and floodplain management requirements of the NFIP.

**Berm** – A small levee, typically built from earth.

**Cfs** – Cubic feet per second, the unit by which discharges are measured (a cubic foot of water is about 7.5 gallons).

**Consequence (of flood)** – The estimated damages associated with a given flood occurrence.

**Crest** – The peak stage or elevation reached or expected to be reached by the floodwaters of a specific flood at a given location.

**Dam** – An artificial barrier that has the ability to impound water, wastewater, or any liquid-borne material, for the purpose of storage or control of water.

**Design flood event** – The greater of the following two flood events: (1) the base flood, affecting those areas identified as SFHAs on a community’s FIRM; or (2) the flood corresponding to the area designated as a flood hazard area on a community’s flood hazard map or otherwise legally designated.

**Erosion** – Process by which floodwaters lower the ground surface in an area by removing upper layers of soil.

**Essential facilities** – Facilities that, if damaged, would present an immediate threat to life, public health, and safety. As categorized in Hazus, essential facilities include hospitals, emergency operations centers, police stations, fire stations, and schools.

**Flood** – A general and temporary condition of partial or complete inundation of normally dry land areas from (1) the overflow of inland or tidal waters or (2) the unusual and rapid accumulation or runoff of surface waters from any source.

**Flood Insurance Rate Map (FIRM)** – An official map of a community, on which FEMA has delineated both the SFHAs and the risk premium zones applicable to the community. See also Digital Flood Insurance Rate Map.

**Flood Insurance Study (FIS) Report** – Contains an examination, evaluation, and determination of the flood hazards of a community, and if appropriate, the corresponding water-surface elevations.

**Flood risk** – Probability multiplied by consequence; the degree of probability that a loss or injury may occur as a result of flooding. Sometimes referred to as flood vulnerability.

**Flood vulnerability** – Probability multiplied by consequence; the degree of probability that a loss or injury may occur as a result of flooding. Sometimes referred to as flood risk.

**Floodborne debris impact** – Floodwater moving at a moderate or high velocity can carry floodborne debris that can impact buildings and damage walls and foundations.

**Floodwall** – A long, narrow concrete or masonry wall built to protect land from flooding.

**Floodway (regulatory)** – The channel of a river or other watercourse and that portion of the adjacent floodplain that must remain unobstructed to permit passage of the base flood without cumulatively increasing the water surface elevation more than a designated height (usually 1 foot).

**Floodway fringe** – The portion of the SFHA that is outside of the floodway.

**Freeboard** – A factor of safety usually expressed in feet above a flood level for purposes of flood plain management. “Freeboard” tends to compensate for the many unknown factors that could contribute to flood heights greater than the height calculated for a selected size flood and floodway conditions, such as wave action, bridge openings, and the hydrological effect of urbanization of the watershed (44CFR§59.1).

**Hazus** – A GIS-based risk assessment methodology and software application created by FEMA and the National Institute of Building Sciences for analyzing potential losses from floods, hurricane winds and storm surge, and earthquakes.

**High velocity flow** – Typically comprised of floodwaters moving faster than 5 feet per second.

**Levee** – A human-made structure, usually an earthen embankment, designed and constructed in accordance with sound engineering practices to contain, control, or divert the flow of water so as to provide protection from temporary flooding. (44CFR§59.1)

**Loss ratio** – Expresses loss as a fraction of the value of the local inventory (total value/loss).

**Mudflow** – Mudslide (i.e., mudflow) describes a condition where there is a river, flow or inundation of liquid mud down a hillside usually as a result of a dual condition of loss of brush cover, and the subsequent accumulation of water on the ground preceded by a period of unusually heavy or sustained rain. A mudslide (i.e., mudflow) may occur as a distinct phenomenon while a landslide is in progress, and will be recognized as such by the Administrator only if the mudflow, and not the landslide, is the proximate cause of damage that occurs. (44CFR§59.1)

**Probability (of flood)** – The likelihood that a flood will occur in a given area.

**Risk MAP** – Risk Mapping, Assessment, and Planning, a FEMA strategy to work collaboratively with state, local, and tribal entities to deliver quality flood data that increases public awareness and leads to action that reduces risk to life and property.

**Riverine** – Of or produced by a river. Riverine floodplains have readily identifiable channels.

**Special Flood Hazard Area (SFHA)** – Portion of the floodplain subject to inundation by the 1-percent-annual or base flood.

**Stafford Act** – Robert T. Stafford Disaster Relief and Emergency Assistance Act, PL 100-707, signed into law November 23, 1988; amended the Disaster Relief Act of 1974, PL 93-288. This Act constitutes the statutory authority for most federal disaster response activities especially as they pertain to FEMA and FEMA programs.

**Stillwater** – Projected elevation that flood waters would assume, referenced to National Geodetic Vertical Datum of 1929, North American Vertical Datum of 1988, or other datum, in the absence of waves resulting from wind or seismic effects.

**Stream Flow Constrictions** – A point where a human-made structure constricts the flow of a river or stream.

## 6 Additional Resources

**ASCE 7** – National design standard issued by the American Society of Civil Engineers (ASCE), *Minimum Design Loads for Buildings and Other Structures*, which gives current requirements for dead, live, soil, flood, wind, snow, rain, ice, and earthquake loads, and their combinations, suitable for inclusion in building codes and other documents.

**ASCE 24-05** – National design standard issued by the ASCE, *Flood Resistant Design and Construction*, which outlines the requirements for flood resistant design and construction of structures in flood hazard areas.

National Flood Insurance Program (NFIP), Federal Emergency Management Agency (FEMA), [www.floodsmart.gov](http://www.floodsmart.gov)

FEMA, [www.fema.gov](http://www.fema.gov)

ASCE, 2010. *So, You Live Behind a Levee!* Reston, VA.

**FEMA Publications** – available at [www.fema.gov](http://www.fema.gov)

FEMA, 1985. *Manufactured Home Installation in Flood Hazard Areas*, FEMA 85. Washington, DC, September 1985.

FEMA and the American Red Cross, 1992. *Repairing Your Flooded Home*, FEMA 234/ARC 4476. Washington, DC, August 1992.

FEMA, 1996. *Addressing Your Community's Flood Problems*, FEMA 309. Washington, DC, June 1996.

FEMA, 1998. *Homeowner's Guide to Retrofitting*, FEMA 312. Washington, DC, June 1998.

FEMA, 1999. *Protecting Building Utilities from Flood Damage*, FEMA 348. Washington, DC, November 1999.

FEMA, 1999. *Riverine Erosion Hazard Areas Mapping Feasibility Study*. Washington, DC, September 1999.

FEMA, 2003. *Interim Guidance for State and Local Officials - Increased Cost of Compliance Coverage*, FEMA 301. Washington, DC, September 2003.

FEMA, 2000. *Above the Flood: Elevating Your Floodprone House*, FEMA 347. Washington, DC, May 2000.

FEMA, 2001. *Understanding Your Risks: Identifying Hazards and Estimating Losses*, FEMA 386-2. Washington, DC, August 2001.

FEMA, 2002a. *Getting Started: Building Support for Mitigation Planning*, FEMA 386-1. Washington, DC, September 2002.

FEMA, 2002b. *Integrating Manmade Hazards into Mitigation Planning*, FEMA 386-7. Washington, DC, September 2002.

FEMA, 2003a. *Developing the Mitigation Plan: Identifying Mitigation Actions and Implementing Strategies*, FEMA 386-3. Washington, DC, April 2003.

FEMA, 2003b. *Bringing the Plan to Life: Implementing the Hazard Mitigation Plan*, FEMA 386-4. Washington, DC, August 2003.

FEMA, 2004a. *Design Guide for Improving School Safety in Earthquakes, Floods, and High Winds*, FEMA 424. Washington, DC, January 2004.

FEMA, 2004b. *Federal Guidelines for Dam Safety: Emergency Action Planning for Dam Owners*, FEMA 64. Washington, DC, April 2004.

FEMA, 2005. *Integrating Historic Property and Cultural Resource Considerations into Hazard Mitigation Planning*, FEMA 386-6. Washington, DC, May 2005.

FEMA, 2006a. *Multi-Jurisdictional Mitigation Planning*, FEMA 386-8. Washington, DC, August 2006.

FEMA, 2006b. *Using the Hazard Mitigation Plan to Prepare Successful Mitigation Projects*, FEMA 386-9. Washington, DC, August 2008.

FEMA, 2006c. "Designing for Flood Levels Above the BFE," *Hurricane Katrina Recovery Advisory 8, Hurricane Katrina in the Gulf Coast: Building Performance Observations, Recommendations, and Technical Guidance*, FEMA 549, Appendix E. Washington, DC, July 2006.

FEMA, 2007a. *Property Acquisition Handbook for Local Communities*, FEMA 317. Washington, DC, September 2007.

FEMA, 2007b. *Public Assistance Guide*, FEMA 322. Washington, DC, June 2007.

FEMA, 2007c. *Using Benefit-Cost Review in Mitigation Planning*, FEMA 386-5. Washington, DC, May 2007.

FEMA, 2007d. *Design Guide for Improving Critical Facility Safety from Flooding and High Winds: Providing Protection to People and Buildings*, FEMA 543. Washington, DC, January 2007.

FEMA, 2007e. *Selecting Appropriate Mitigation Measures for Floodprone Structures*, FEMA 551. Washington, DC, March 2007.

FEMA, 2007f. *Design Guide for Improving Hospital Safety in Earthquakes, Floods, and High Winds: Providing Protection to People and Buildings*, FEMA 577. Washington, DC, June 2007.

FEMA, 2008. *Reducing Flood Losses Through the International Codes: Meeting the Requirements of the National Flood Insurance Program*, FEMA 9-0372, Third Edition. Washington, DC, December 2007.

## **7 Data Used to Develop Flood Risk Products**

GIS base map information was acquired from the following sources:

- Federal Emergency Management Agency
- Wisconsin Department of Natural Resources

Engineering study information was leveraged from the USGS with coordination from the State of Wisconsin Department of Natural Resources Floodplain Management Program. Mitigation Plans and AoMI information were acquired from local community input as well as significant input from the Wisconsin Department of Natural Resources.